

Making Everything Easier!™

# Raspberry Pi

FOR  
**DUMMIES**<sup>®</sup>  
A Wiley Brand

## Learn to:


- Connect the Raspberry Pi and install the OS
- Get productive with word processing, spreadsheets, presentations, and images
- Learn simple programming with Scratch and Python
- Create electronics projects connected to the Raspberry Pi's GPIO port




**Sean McManus**  
**Mike Cook**











**by Sean McManus and Mike Cook**

FOR  
DUMMIES  
A Wiley Brand



**Raspberry Pi® For Dummies®**

Published by  
**John Wiley & Sons, Inc.**  
111 River Street  
Hoboken, NJ 07030-5774

[www.wiley.com](http://www.wiley.com)

Copyright © 2013 by John Wiley & Sons, Inc., Hoboken, New Jersey

Published by John Wiley & Sons, Inc., Hoboken, New Jersey

Published simultaneously in Canada

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at <http://www.wiley.com/go/permissions>.

**Trademarks:** Wiley, the Wiley logo, For Dummies, the Dummies Man logo, A Reference for the Rest of Us!, The Dummies Way, Dummies Daily, The Fun and Easy Way, Dummies.com, Making Everything Easier, and related trade dress are trademarks or registered trademarks of John Wiley & Sons, Inc. and/or its affiliates in the United States and other countries, and may not be used without written permission. All other trademarks are the property of their respective owners. John Wiley & Sons, Inc. is not associated with any product or vendor mentioned in this book.

Raspberry Pi and the Raspberry Pi logo are registered trademarks of the Raspberry Pi Foundation in the United Kingdom and other countries. *Raspberry Pi For Dummies* is not endorsed by the Raspberry Pi Foundation.

**LIMIT OF LIABILITY/DISCLAIMER OF WARRANTY: THE PUBLISHER AND THE AUTHOR MAKE NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ACCURACY OR COMPLETENESS OF THE CONTENTS OF THIS WORK AND SPECIFICALLY DISCLAIM ALL WARRANTIES, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. NO WARRANTY MAY BE CREATED OR EXTENDED BY SALES OR PROMOTIONAL MATERIALS. THE ADVICE AND STRATEGIES CONTAINED HEREIN MAY NOT BE SUITABLE FOR EVERY SITUATION. THIS WORK IS SOLD WITH THE UNDERSTANDING THAT THE PUBLISHER IS NOT ENGAGED IN RENDERING LEGAL, ACCOUNTING, OR OTHER PROFESSIONAL SERVICES. IF PROFESSIONAL ASSISTANCE IS REQUIRED, THE SERVICES OF A COMPETENT PROFESSIONAL PERSON SHOULD BE SOUGHT. NEITHER THE PUBLISHER NOR THE AUTHOR SHALL BE LIABLE FOR DAMAGES ARISING HEREFROM. THE FACT THAT AN ORGANIZATION OR WEBSITE IS REFERRED TO IN THIS WORK AS A CITATION AND/OR A POTENTIAL SOURCE OF FURTHER INFORMATION DOES NOT MEAN THAT THE AUTHOR OR THE PUBLISHER ENDORSES THE INFORMATION THE ORGANIZATION OR WEBSITE MAY PROVIDE OR RECOMMENDATIONS IT MAY MAKE. FURTHER, READERS SHOULD BE AWARE THAT INTERNET WEBSITES LISTED IN THIS WORK MAY HAVE CHANGED OR DISAPPEARED BETWEEN WHEN THIS WORK WAS WRITTEN AND WHEN IT IS READ.**

For general information on our other products and services, please contact our Customer Care Department within the U.S. at 877-762-2974, outside the U.S. at 317-572-3993, or fax 317-572-4002.


For technical support, please visit [www.wiley.com/techsupport](http://www.wiley.com/techsupport).

Wiley publishes in a variety of print and electronic formats and by print-on-demand. Some material included with standard print versions of this book may not be included in e-books or in print-on-demand. If this book refers to media such as a CD or DVD that is not included in the version you purchased, you may download this material at <http://booksupport.wiley.com>. For more information about Wiley products, visit [www.wiley.com](http://www.wiley.com).

ISBN 978-1-118-55421-0 (pbk); ISBN 978-1-118-55422-7 (ebk); ISBN 978-1-118-55423-4 (ebk); ISBN 978-1-118-55424-1 (ebk)

Manufactured in the United States of America at Bind-Rite

10 9 8 7 6 5 4 3 2 1



## About the Authors

**Sean McManus** is an expert technology and business author. His other books include *Microsoft Office for the Older and Wiser*, *Social Networking for the Older and Wiser*, *Web Design in Easy Steps*, and *iPad for the Older and Wiser*. His tutorials and articles have appeared in magazines including *Internet Magazine*, *Internet Works*, *Business 2.0*, *Making Music*, and *Personal Computer World*. His personal website is at [www.sean.co.uk](http://www.sean.co.uk).

**Mike Cook** has been making electronic things since he was at school. Former Lecturer in Physics at Manchester Metropolitan University, he wrote more than three hundred computing and electronics articles in the pages of computer magazines for 20 years starting in the 1980s. Leaving the University after 21 years when the Physics department closed down, he got a series of proper jobs where he designed digital TV set top boxes and access control systems. Now retired and freelancing, he spends his days surrounded by wires, patrolling the forums as Grumpy Mike.





## ***Dedication***

Thank you to my wife, Karen, for all her support throughout this project.  
—Sean

To my wife, Wendy, who always acts delighted whenever I show her yet another blinking LED. And also to the late Leicester Taylor, World War II radar researcher and inspirational supervisor of my post-graduate research at the University of Salford. —Mike

## ***Authors' Acknowledgments***

Thank you to my co-author, Mike, for bringing his electronics expertise and fantastic project ideas. Thank you to Craig Smith for commissioning us to write this book, to Linda Morris for her editing support, and to Paul Hallett, our technical editor. Thanks also to Lorna Mein and Natasha Lee in marketing, and to the . . . *For Dummies* team for making it all happen.

Many people helped with research or permissions requests, including Karen McManus, Leo McHugh, Mark Turner, Peter Sayer, Bill Kendrick, Simon Cox, Jon Williamson, Paul Beech, Peter de Rivaz, Michał Męciński, Ruairi Glynn, Stephen Revill, and Lawrence James.

We wouldn't have a book to write if it weren't for the wonderful work of the Raspberry Pi Foundation, the manufacturers who took a gamble on it, and the many thousands of people who have contributed to the Raspberry Pi's software. —Sean

I would like to thank Sean McManus for inviting me to contribute to this book and the staff at Wiley for making the process of producing this book as painless as possible. —Mike



## **Publisher's Acknowledgments**

We're proud of this book; please send us your comments at <http://dummies.custhelp.com>. For other comments, please contact our Customer Care Department within the U.S. at 877-762-2974, outside the U.S. at 317-572-3993, or fax 317-572-4002.

Some of the people who helped bring this book to market include the following:

### ***Acquisitions and Editorial***

**Project Editor:** Linda Morris  
**Acquisitions Editor:** Craig Smith  
**Copy Editor:** Linda Morris  
**Technical Editor:** Paul Hallett  
**Editorial Manager:** Jodi Jensen  
**Editorial Assistant:** Anne Sullivan  
**Sr. Editorial Assistant:** Cherie Case  
**Cover Photo:** © Dr. Andrew Robinson

### ***Composition Services***

**Sr. Project Coordinator:** Kristie Rees  
**Layout and Graphics:** Carrie A. Cesavice,  
Jennifer Creasey, Joyce Haughey  
**Proofreader:** Linda Seifert  
**Indexer:** Potomac Indexing, LLC

---

### **Publishing and Editorial for Technology Dummies**

**Richard Swadley**, Vice President and Executive Group Publisher  
**Andy Cummings**, Vice President and Publisher  
**Mary Bednarek**, Executive Acquisitions Director  
**Mary C. Corder**, Editorial Director

### **Publishing for Consumer Dummies**

**Kathleen Nebenhaus**, Vice President and Executive Publisher

### **Composition Services**

**Debbie Stailey**, Director of Composition Services

# Contents at a Glance

---

<b><i>Introduction</i></b> .....	<b>1</b>
<b><i>Part I: Getting Started with Raspberry Pi</i></b> .....	<b>7</b>
Chapter 1: Introducing the Raspberry Pi.....	9
Chapter 2: Downloading the Operating System.....	19
Chapter 3: Connecting Your Raspberry Pi .....	31
<b><i>Part II: Getting Started with Linux</i></b> .....	<b>43</b>
Chapter 4: Using the Desktop Environment .....	45
Chapter 5: Using the Linux Shell.....	71
<b><i>Part III: Using the Raspberry Pi for Both Work and Play</i></b> .....	<b>107</b>
Chapter 6: Being Productive with the Raspberry Pi.....	109
Chapter 7: Editing Photos on the Raspberry Pi with GIMP .....	121
Chapter 8: Building Your First Website with the Raspberry Pi .....	131
Chapter 9: Playing Audio and Video on the Raspberry Pi.....	159
<b><i>Part IV: Programming the Raspberry Pi</i></b> .....	<b>171</b>
Chapter 10: Introducing Programming with Scratch .....	173
Chapter 11: Programming an Arcade Game Using Scratch .....	189
Chapter 12: Writing Programs in Python.....	211
Chapter 13: Creating a Game with Python and Pygame .....	241
<b><i>Part V: Exploring Electronics with the Raspberry Pi....</i></b>	<b>259</b>
Chapter 14: Understanding Circuits and Soldering .....	261
Chapter 15: Making Your First Project with the Raspberry Pi.....	281
Chapter 16: Putting the Raspberry Pi in Control.....	313
Chapter 17: The Raspberry Pi in an Analog World.....	337
<b><i>Part VI: The Part of Tens</i></b> .....	<b>359</b>
Chapter 18: Ten Great Software Packages for the Raspberry Pi .....	361
Chapter 19: Ten Inspiring Projects for the Raspberry Pi.....	371



<i>Appendix A: Troubleshooting and Configuring the Raspberry Pi .....</i>	<i>377</i>
<i>Appendix B: The GPIO on the Raspberry Pi .....</i>	<i>391</i>
<i>Index .....</i>	<i>393</i>

# Table of Contents

.....

<b>Introduction</b> .....	<b>1</b>
About Raspberry Pi For Dummies .....	1
Why You Need This Book .....	2
Foolish Assumptions .....	2
How This Book Is Organized .....	3
Icons Used in This Book .....	5
Visit the Book's Website .....	5
<b>Part 1: Getting Started with Raspberry Pi</b> .....	<b>7</b>
<b>Chapter 1: Introducing the Raspberry Pi</b> .....	<b>9</b>
Getting Familiar with the Raspberry Pi .....	11
Figuring Out What You Can Do with a Raspberry Pi .....	12
Determining Its Limitations .....	13
Getting Your Hands on a Raspberry Pi .....	13
Deciding What Else You Need .....	14
<b>Chapter 2: Downloading the Operating System</b> .....	<b>19</b>
Introducing Linux .....	19
Determining Which Distribution to Use .....	20
Using RISC OS on the Raspberry Pi .....	21
Downloading a Linux Distribution .....	21
Unzipping Your Linux Distribution .....	22
Flashing Your SD Card .....	22
Flashing an SD card in Windows .....	23
Flashing an SD card on a Mac .....	24
Flashing an SD card using Linux .....	27
<b>Chapter 3: Connecting Your Raspberry Pi</b> .....	<b>31</b>
Inserting the SD Card .....	32
Connecting a Monitor or TV .....	33
Connecting an HDMI or DVI display .....	33
Connecting a television using composite video .....	34
Connecting a USB Hub .....	34
Connecting a Keyboard and Mouse .....	35
Connecting Audio .....	35
Connecting to Your Router .....	36

Connecting the Power and Turning on the Raspberry Pi.....	37
Using Raspi-config to Set Up Your Raspberry Pi.....	37
Logging In .....	41
Creating a Protective Case for Your Raspberry Pi.....	41

## ***Part II: Getting Started with Linux..... 43***

### **Chapter 4: Using the Desktop Environment.....45**

Starting the Desktop Environment.....	45
Navigating the Desktop Environment.....	46
Using the icons on the desktop.....	46
Using the Programs menu.....	47
Using multiple desktops.....	48
Resizing and closing your program windows .....	49
Using the Task Manager .....	50
Using External Storage Devices in the Desktop Environment .....	51
Using the File Manager.....	51
Navigating the file manager .....	52
Copying and moving files and folders.....	55
Selecting multiple files and folders.....	55
Creating new folders and blank files .....	56
Changing how files are displayed .....	57
Opening a folder as root or in the terminal.....	58
Browsing the Web .....	59
Using Midori to browse the web.....	59
Searching for and within web pages.....	61
Using tabbed browsing .....	61
Adding and using bookmarks.....	62
Zooming the page and opening it full screen .....	63
Protecting your privacy .....	63
Using the Image Viewer .....	64
Using the Leafpad Text Editor .....	66
Customizing Your Desktop.....	67
Logging Out from LXDE .....	69

### **Chapter 5: Using the Linux Shell.....71**

Understanding the Prompt.....	72
Exploring Your Linux System.....	72
Listing files and directories .....	72
Changing directories .....	73
Checking file types.....	73
Changing to the parent directory .....	74
Understanding the directory tree.....	75
Using relative and absolute paths .....	78
Investigating more advanced listing options .....	80



Understanding the Long Listing Format and Permissions .....	83
Slowing Down the Listing and Reading Files with the Less Command .....	85
Speeding Up Entering Commands .....	86
Using Redirection to Create Files in Linux .....	87
Top Tips for Naming Your Files in Linux.....	88
Creating Directories .....	89
Deleting Files in Linux.....	90
Using Wildcards to Select Multiple Files in Linux .....	91
Removing Directories.....	93
Copying and Renaming Files .....	94
Installing and Managing Software on Your Raspberry Pi.....	96
Updating the cache.....	96
Finding the package name .....	97
Installing software.....	97
Running software .....	98
Upgrading the software on your Raspberry Pi .....	98
Removing software and freeing up space.....	99
Finding out what's installed on your Raspberry Pi .....	100
Managing User Accounts on Your Raspberry Pi .....	100
Learning More About Linux Commands .....	102
Customizing Your Shell with Your Own Linux Commands .....	104

## ***Part III: Using the Raspberry Pi for Both Work and Play .....*** 107

### **Chapter 6: Being Productive with the Raspberry Pi .....** 109

Installing LibreOffice on Your Raspberry Pi .....	110
Starting LibreOffice on the Raspberry Pi.....	110
Saving Your Work.....	111
Writing Letters in LibreOffice Writer .....	111
Managing Your Budget in LibreOffice Calc .....	113
Creating Presentations in LibreOffice Impress .....	116
Creating a Party Invitation with LibreOffice Draw .....	118

### **Chapter 7: Editing Photos on the Raspberry Pi with GIMP .....** 121

Installing and Starting GIMP .....	122
Understanding the GIMP Screen Layout.....	122
Resizing an Image in GIMP.....	124
Cropping Your Photo .....	125
Rotating and Flipping Your Photo .....	126
Adjusting the Colors.....	127
Fixing Imperfections.....	127
Converting Images Between Different Formats .....	128
Finding Out More about GIMP .....	129

**Chapter 8: Building Your First Website with the Raspberry Pi . . . . .131**

Understanding What a Website Is .....	132
Discovering How to Write a Web Page .....	132
Organizing Your Files .....	133
Creating Your First Web Page .....	133
Your first HTML code snippet .....	134
Structuring an HTML document .....	136
Formatting Your HTML Content .....	138
Adding additional headings .....	139
Adding images to your web page .....	139
Adding links in your web content .....	141
Formatting lists .....	142
Additional formatting tags you can use .....	144
Validating Your HTML .....	145
Using CSS to Change Your Page's Appearance .....	145
Adding a style sheet to your web page .....	145
Adding a touch of color .....	147
Formatting your text .....	149
Styling lists .....	150
Adding borders to your content .....	151
Adding spacing around and between page elements .....	152
Applying Styles to More Specific Parts of the Page .....	152
Creating a Navigation Bar from a List .....	155
Adding the Finishing Touches .....	156
Publishing Your Web Page on the Internet .....	157
Taking It Further .....	158

**Chapter 9: Playing Audio and Video on the Raspberry Pi . . . . .159**

Setting Up Raspbmc .....	160
Navigating Raspbmc .....	161
Adding Media .....	163
Adding a USB device .....	163
Adding networked media .....	164
Using streaming media .....	164
Playing Music .....	165
Playing Videos .....	166
Viewing Photos .....	167
Changing the Settings in Raspbmc .....	167
Using a Remote Control .....	168
Playing Music in the Desktop Environment .....	169



## ***Part IV: Programming the Raspberry Pi*..... 171**

### **Chapter 10: Introducing Programming with Scratch .....173**

Understanding What Programming Is.....	174
Starting Scratch .....	174
Understanding the Scratch Screen Layout.....	174
Positioning and Resizing Your Sprite.....	176
Making Your Sprite Move .....	176
Using directions to move your sprite.....	177
Using grid coordinates to move and position your sprite .....	178
Showing sprite information on the Stage.....	180
Changing Your Sprite's Appearance .....	181
Using costumes .....	181
Using speech and thought bubbles .....	182
Using graphic effects .....	183
Resizing your sprite.....	184
Changing your sprite's visibility .....	184
Adding Sounds and Music .....	185
Creating Scripts .....	186
Using the Wait Block to Slow Down Your Sprite .....	187
Saving Your Work.....	188

### **Chapter 11: Programming an Arcade Game Using Scratch .....189**

Starting a New Scratch Project and Deleting Sprites .....	190
Changing the Background .....	191
Adding Sprites to Your Game.....	191
Drawing Sprites in Scratch .....	192
Naming Your Sprites .....	195
Controlling When Scripts Run.....	195
Using the green flag to start scripts .....	195
Using the Forever Control block.....	196
Enabling keyboard control of a sprite.....	197
Enabling a sprite to control another sprite.....	198
Using Random Numbers .....	201
Detecting When a Sprite Hits Another Sprite.....	201
Introducing Variables.....	203
Making Sprites Move Automatically.....	204
Fixing the Final Bug .....	205
Adding Scripts to the Stage.....	208
Duplicating Sprites .....	208
Playing Your Game .....	208
Adapting the Game's Speed .....	209
Taking It Further with Scratch .....	209



<b>Chapter 12: Writing Programs in Python</b> . . . . .	<b>211</b>
Starting Python .....	212
Entering Your First Python Commands .....	212
Using the Shell to Calculate Sums .....	214
Creating the Times Tables Program .....	215
Creating and running your first Python program .....	216
Using variables .....	218
Accepting user input .....	219
Printing words, variables, and numbers together .....	219
Using for loops to repeat .....	221
Creating the Chatbot Program .....	223
Introducing lists .....	224
Using lists to make a random chat program .....	227
Adding a while loop .....	229
Using a loop to force a reply from the player .....	230
Using dictionaries .....	231
Creating your own functions .....	233
Creating the dictionary look-up function .....	235
Creating the main conversation loop .....	237
Final thoughts on Chatbot .....	238
The final Chatbot program .....	239
<b>Chapter 13: Creating a Game with Python and Pygame</b> . . . . .	<b>241</b>
Installing and Updating Pygame .....	242
Importing Pygame .....	242
Setting Up the Game Window .....	243
Using Colors in Pygame .....	243
Drawing with Pygame .....	244
Creating the Game Map .....	245
Drawing the Bricks .....	247
Positioning the Bat .....	248
Positioning the Ball .....	250
Displaying the End Game Messages .....	251
Checking for a Win .....	252
Setting Up the Timings .....	252
Making the Bat Move .....	253
Making the Ball Move .....	254
Adapting the Game .....	257

***Part V: Exploring Electronics with the Raspberry Pi..... 259*****Chapter 14: Understanding Circuits and Soldering ..... 261**

Discovering What a Circuit Is.....	262
Understanding the nature of electricity.....	262
Determining how a component needs to be treated.....	269
Testing circuits with simulators .....	269
Getting Familiar with the GPIO .....	270
Putting the general purpose in GPIO.....	271
Understanding what GPIOs do .....	271
Putting an output pin to practical use .....	272
Using GPIOs as inputs .....	274
Learning which end is hot: Getting to grips with a soldering iron .....	276
Making a soldered joint.....	277
Looking at Ready-Made Add-On Boards .....	278
The Gert board.....	278
Pi Face .....	279
Other boards .....	280

**Chapter 15: Making Your First Project with the Raspberry Pi..... 281**

Getting Started with the Blastoff Project.....	281
Getting at the GPIO Pins .....	283
Being aware of Raspberry Pi board revisions .....	283
Making the connection.....	285
Making a Breakout Board .....	286
Creating the cable.....	287
Wiring the cable .....	289
Testing the breakout board.....	293
Controlling the GPIO pins .....	294
Floating GPIO pins .....	296
Getting a better display.....	297
Creating the Blastoff Game.....	298
Making the box.....	298
Making the ball traps.....	300
Wiring up the Blastoff game .....	301
Testing the hardware .....	306
Writing the software.....	307
The game logic .....	310
Creating the sounds.....	310
Customizing the Blastoff game .....	311



**Chapter 16: Putting the Raspberry Pi in Control . . . . . 313**

Using GPIO Pins as Outputs ..... 313  
Preparing to Build the Copycat Game ..... 315  
Choosing an LED ..... 316  
Creating the Copycat Game ..... 318  
Customizing the Game ..... 326  
Making a Better Game ..... 327  
Putting It All Together ..... 332

**Chapter 17: The Raspberry Pi in an Analog World . . . . . 337**

Exploring the Difference: Analog versus Digital ..... 338  
    Taking small steps ..... 338  
    Reading small steps ..... 340  
Investigating Converter Chips ..... 341  
Building the Raspberry Ripple ..... 342  
    The chip at the heart of the Ripple ..... 343  
    Putting the chip into a circuit ..... 343  
    Wiring it up ..... 345  
    Installing the drivers ..... 346  
    Using the Raspberry Ripple ..... 347  
    Testing the analog inputs ..... 348  
    Testing the analog output ..... 350  
Making a Curve Tracer ..... 351  
Making a Pot-a-Sketch ..... 354  
Making Real Meters ..... 356  
Making a Steve Reich Machine ..... 356  
Taking the Temperature ..... 357

***Part VI: The Part of Tens* . . . . . 359**

**Chapter 18: Ten Great Software Packages for the Raspberry Pi . . . 361**

Penguins Puzzle ..... 361  
FocusWriter ..... 362  
Chromium ..... 363  
XInvaders 3D ..... 364  
Fraqtive ..... 364  
Evolution ..... 365  
Tux Paint ..... 366  
Grisbi ..... 367  
Beneath a Steel Sky ..... 367  
LXMusic ..... 368



<b>Chapter 19: Ten Inspiring Projects for the Raspberry Pi</b> .....	<b>371</b>
One-Button Audiobook Player .....	371
Raspberry Pi Synthesizer .....	372
Bird Feeder Webcam.....	372
Scratch Games .....	373
Weather Station .....	373
Jukebox.....	373
Baby Monitor .....	374
Remote-Controlled Cars .....	374
A Talking Boat.....	375
Home Automation.....	376
<b><i>Appendix A: Troubleshooting and Configuring the Raspberry Pi</i></b> .....	<b>377</b>
Troubleshooting the Raspberry Pi.....	377
Making More Space on the SD Card .....	380
Adjusting the Settings on Your Raspberry Pi .....	380
Using Nano to edit config.txt .....	381
Troubleshooting screen display issues .....	383
Adjusting the screen display.....	386
Exploring more advanced settings .....	386
Mounting External Storage Devices .....	386
Fixing Software Installation Issues .....	388
Troubleshooting Your Network Connection.....	388
<b><i>Appendix B: The GPIO on the Raspberry Pi</i></b> .....	<b>391</b>
<b><i>Index</i></b> .....	<b>393</b>



# Introduction

---

**I**n recent years, computer education has focused largely on office skills, and not on understanding how computers work, or how you can use them to create new programs and inventions. The Raspberry Pi redresses the balance. It can be used for games, music, photo editing, and word processing, like any computer. But it can do so much more, providing a gateway into programming, electronics, and the mysterious world of Linux, the technically powerful (and free) rival to Windows and Mac OS.

Although the Raspberry Pi presents new opportunities to everyone, it can also be a daunting prospect. It comes as a bare circuit board, so to do anything with it, you'll need to add an operating system on an SD card and connect it up to a screen, mouse, and keyboard. To get started, you need to learn a few basics of Linux, or at least get acquainted with LXDE, the graphical desktop. You might be a geek who relishes learning new technologies, or you might be someone who wants a new family computer to use with the children. In either case, *Raspberry Pi For Dummies* helps you to get started with your Raspberry Pi and teaches you about some of the many fun and inspiring things you can do with it.

## *About Raspberry Pi For Dummies*

*Raspberry Pi For Dummies* provides a concise and clear introduction to the terminology, technology, and techniques that you need to get the most from your Pi. With the book as your guide, you'll learn how to

- ✓ Connect up your Raspberry Pi.
- ✓ Change its settings so it works optimally for you.
- ✓ Discover and install great free software you can use on your Raspberry Pi.
- ✓ Use the desktop environment to run programs, manage your files, surf the web, and view your photos.
- ✓ Use the Linux command line to manage your Raspberry Pi and its files.
- ✓ Use the Raspberry Pi as a productivity tool.
- ✓ Edit photos.



- ✓ Play music and video.
- ✓ Build and publish your first website using the tools on the Raspberry Pi and free tools you can download.
- ✓ Create animations and arcade games with the child-friendly Scratch programming language.
- ✓ Write your own games and other programs using the Python programming language.
- ✓ Get started with electronics, from an introduction to soldering, to the design and creation of sophisticated electronic games, controlled by the Raspberry Pi.

## *Why You Need This Book*

After you shake the Raspberry Pi out of the little electrostatic bag it comes in, what next?

This book answers that question. It enables you to get your Raspberry Pi up and running and also introduces you to some of the great things you can do with it, through satisfying practical projects. With this book as your companion, you can build websites, write games, and create your own electronic gadgets, all without any prior knowledge.

The Raspberry Pi is most likely a bit different compared to other computers you've used, so this book also helps you to do some of the things on your Pi that you expect of every computer, such as playing music and editing documents.

You can learn a lot of this through trial and error, of course, but that can be a frustrating way to spend your time. Using this book as a reference, you can more quickly start using your Raspberry Pi, whatever you plan to do with it.

## *Foolish Assumptions*

*Raspberry Pi For Dummies* is written for beginners, by which we mean people who have never used a similar computer before. However, we do have to make a few assumptions in writing this book because we wouldn't have enough space for all the cool projects if we had to start by explaining what a mouse is! Here are our assumptions:

- ✓ You are familiar with other computers, such as Windows or Apple computers. In particular, we assume that you're familiar with using windows, icons, and the keyboard and mouse, and that you know the basics of using your computer for things like the Internet or writing letters.
- ✓ The Raspberry Pi is not your only computer. At times, you'll need to have access to another computer, for example to create your SD card for the Pi (see Chapter 2). When it comes to networking, we assume you already have a router set up with an Internet connection and a spare port that you can plug the Raspberry Pi into.
- ✓ The Raspberry Pi is your first Linux-based computer. If you're a Linux ninja, this book still gives you a solid reference on the Raspberry Pi and the version of Linux it uses, but no prior Linux knowledge is required.
- ✓ You share our excitement at the world of possibilities that the Raspberry Pi can open up to you!

Other than those assumptions, we hope this book is approachable for everyone. The Raspberry Pi is being adopted in classrooms and youth groups, and this book is a useful resource for teachers and students. The Raspberry Pi is also finding its way into many homes, where people of all ages (from children to adult) are using it for education and entertainment.

## *How This Book Is Organized*

This book is organized into six parts:

- ✓ Part I shows you how to set up your Raspberry Pi, including guidance on what else you need; how you download the Raspberry Pi's operating system software and copy it to an SD card; and how you connect everything up. You'll learn how to use the configuration software and log in to your Raspberry Pi.
- ✓ Part II gets you up and running with Linux, the operating system that runs on the Raspberry Pi. You'll learn about the desktop environment, which you can use to run programs, manage your files, browse the web, and view your images. Many Raspberry Pi users spend most of their time in the desktop environment, but others want to dig deeper into Linux, learning how to enter text commands to manage the computer and its files. The book also shows you how to do this, so you can exploit the full power of Linux.
- ✓ Part III is all about using your Raspberry Pi for work and play. You can't use Windows or Mac OS software on your Raspberry Pi, so you need to find and install some new programs for work, photo-editing, and playing



music and video. You also learn how to build your first website, using HTML and CSS, the languages that underpin every website in the world.

- ✓ Part IV teaches you how to write your own programs for the Raspberry Pi, using the two programming languages that come with the operating system. Scratch is highly visual and ideal for making games and animations. After we introduce you to the concepts of Scratch, we show you how you can bring them together to make a shoot-'em-up game. After that, you learn Python, a more powerful programming language that comes with the Raspberry Pi. We'll show you how to create a basic Chatbot that analyzes what you type in and gives intelligent responses (sometimes, at least). After you've mastered the basics of Python, we show you how to write an arcade game using Pygame.
- ✓ Part V introduces you to some electronics projects you can undertake with your Raspberry Pi. You learn the basics of electronics theory, how to use a soldering iron, and how the Raspberry Pi can be connected to your own electronics circuits. This section builds on your knowledge of Python to show you how to make two electronic games controlled by the Raspberry Pi, Marble Slalom, and Copycat. The last chapter in this part shows you how to make an analog-to-digital converter that you can use for a wide range of your own electronics projects.
- ✓ Part VI is the Part of Tens, a unique feature of the *For Dummies* series. This part contains concise guides to great software you can install on your Raspberry Pi and inspiring projects you can make with it.
- ✓ Finally, Appendix A covers troubleshooting and more advanced configuration options of your Raspberry Pi. This gives you solutions for the most common problems people experience, and some guidance on directly editing the configuration files. You might not need this chapter, but it's good to know it's there if things go wrong! Appendix B provides a reference to the GPIO that you can consult when connecting your own electronics projects to the Raspberry Pi.

It's up to you how you read this book. It's been organized to take you on a journey from acquiring and setting up your Raspberry Pi, through learning the software that comes with it, to writing your own programs, and finally creating your own electronics projects. Some chapters build on knowledge gained in earlier chapters, especially the sections on Scratch, Python, and all of Part V.

We understand, though, that some projects or topics might interest you more than others, and you might need help in some areas right now. When a chapter assumes knowledge from elsewhere, we've included cross-references to help you quickly find what you might have missed. We've also included some signposts to future chapters too, so you can skip ahead to a later chapter if it provides the quickest answer for you.



## Icons Used in This Book

If you've read other *For Dummies* books, you know that they use icons in the margin to call attention to particularly important or useful ideas in the text. In this book, we use four such icons:



The Tip icon highlights expert shortcuts or simple ideas that can make life easier for you.



Arguably, the whole book is technical stuff, but this icon highlights something that's particularly technical. We've tried to avoid unnecessary jargon and complexity, but some background information can give you a better understanding of what you're doing, and sometimes we do need to get quite techy, given the sophistication of the projects we're doing. Sections highlighted with this icon might be worth re-reading to make sure you understand, or you might decide that you don't need to know that much detail. It's up to you!



Although we'd like to think that reading this book is an unforgettable experience, we've highlighted some points that you might want to particularly commit to memory. They're either important take-aways, or they are fundamental to the project you're working on.



As you would on the road, slow down when you see a warning sign. It highlights an area where things could go wrong.

## Visit the Book's Website

You can find the dedicated website for this book at [www.dummies.com/go/raspberrypi4d](http://www.dummies.com/go/raspberrypi4d). You can download the files used in the website design, programming, and electronics projects there. That saves you having to retype them, and also gives you a sound base you can build on for your own projects.

Occasionally, we have updates to our technology books. If this book does have technical updates, they will be posted at [www.dummies.com/go/raspberrypifupdates](http://www.dummies.com/go/raspberrypifupdates).

Both of us maintain our own personal websites too, which contain some additional information on the Raspberry Pi. Mike's is at [www.thebox.myzen.co.uk](http://www.thebox.myzen.co.uk) and Sean's is at [www.sean.co.uk](http://www.sean.co.uk).

# 6 Raspberry Pi For Dummies

---

## Chapter 1

# Introducing the Raspberry Pi

---

### *In This Chapter*

- ▶ Getting familiar with the Raspberry Pi
  - ▶ Figuring out what you can do with a Raspberry Pi
  - ▶ Determining its limitations
  - ▶ Getting your hands on a Raspberry Pi
  - ▶ Deciding what else you need
- 

**T**he Raspberry Pi is perhaps the most inspiring computer available today. Although most of the computing devices we use (including phones, tablets, and games consoles) are designed to stop us from tinkering with them, the Raspberry Pi is exactly the opposite. From the moment you see its shiny green circuit board, it invites you to prod it, play with it, and create with it. It comes with the tools you need to start making your own software (or *programming*), and you can connect your own electronic inventions to it. It's cheap enough that if you break it, it's not going to break the bank, so you can experiment with confidence.


Lots of people are fired up about its potential, and they're discovering exciting new ways to use it together. Dave Akerman ([www.daveakerman.com](http://www.daveakerman.com)) and friends attached one to a weather balloon and sent it nearly 40 kilometers above the earth to take pictures of earth from near space using a webcam.

Professor Simon Cox and his team at the University of Southampton connected 64 Raspberry Pi boards to build an experimental supercomputer, held together with Lego bricks. In the supercomputer (see Figure 1-1), the Raspberry Pis work together to solve a single problem. The project has been able to cut the cost of a supercomputer from millions of dollars to thousands or even hundreds of dollars, making supercomputing much more accessible to schools and students.

The Pi is also being used at the frontier of exploration. The FishPi project ([www.fishpi.org](http://www.fishpi.org)) aims to create a vessel that can navigate across the Atlantic unmanned and take environmental measurements along the way, communicating with base by satellite. London Zoo is looking at using the Raspberry Pi in a device to detect and photograph animals in their natural habitats, called EyesPi.



**Figure 1-1:** Two of the Raspberry Pi boards used in the University of Southampton's supercomputer, with the rest of the supercomputer in the background.



*Courtesy of Simon Cox and Glenn Harris, University of Southampton*

Although those projects are grabbing headlines, another story is less visible but more important: the thousands of people of all ages who are taking their first steps in computer science thanks to the Raspberry Pi.


Both of the authors of this book used computers in the 1980s, when the notion of a home computer first became a reality. Back then, computers were less friendly than they are today. When you switched them on, you were faced with a flashing cursor and had to type something in to get it to do anything. As a result, though, a whole generation grew up knowing at least a little bit about how to give the computer commands, and how to create programs for it. As computers became friendlier, and we started to use mice and windows, we didn't need those skills any more, and we lost touch with them.

Eben Upton, designer of the Raspberry Pi, noticed the slide in skill levels when he was working at Cambridge University's Computer Laboratory in 2006. Students applying to study computer science started to have less experience of programming than students of the past did. Upton and his university colleagues hatched the idea of creating a computer that would come with all the tools needed to program it, and would sell for a target price of \$25. It had to be able to do other interesting things too so that people were drawn to use it, and had to be robust enough to survive being pushed in and out of school bags hundreds of times.

That idea started a six-year journey that led to the Raspberry Pi you probably have on your desk as you read this book. It was released in February 2012, and sold half a million units by the end of the quarter. Early in 2013, it reached the milestone of one million sales.

## *Getting Familiar with the Raspberry Pi*

When your Raspberry Pi arrives, you'll see it's a circuit board, about the size of a credit card, with components and sockets stuck on it, as shown in Figure 1-2. In an age when most computing devices are sleek and shiny boxes, the spiky Pi, with tiny codes printed in white all over it, seems alien. It's a big part of its appeal, though: most of the cases you can buy for the Raspberry Pi are transparent because people love the look of it.



**Figure 1-2:**  
Up close  
with the  
Raspberry  
Pi.

There are two versions of the Raspberry Pi: the Model B (which was released first) and the Model A. The differences between the two are that the Model B has two USB sockets (whereas the Model A only has one), the Model B has an Ethernet socket, and editions of the Model B released after October 2012 contain twice the memory (512MB, compared to 256MB on the Model A and the first batches of the Model B). The Model A sells for \$25, whereas the Model B sells for around \$35.





The Raspberry Pi was made possible in part by the advances in mobile computer chips that have happened in recent years. At its heart is a Broadcom BCM2835 chip that contains an ARM central processing unit (CPU) and a Videocore 4 graphics processing unit (GPU). The CPU and GPU share the memory between them. The GPU is powerful enough to be able to handle Blu-ray quality video playback.

Instead of running Windows or Mac OS, the Raspberry Pi uses an operating system called Linux. It's a leading example of open source, a completely different philosophy to the commercial software industry. Instead of being created within the heavily guarded walls of a company, with its design treated as a trade secret, Linux is built by companies and expert volunteers working together. Anyone is free to inspect and modify the source code (a bit like the recipe) that makes it work. You don't have to pay to use Linux, and you're allowed to share it with other people too.

Unless you already use Linux, you won't be able to run the software you have on your other computers on your Raspberry Pi, but a lot of software for Linux is free of charge.

## *Figuring Out What You Can Do with a Raspberry Pi*

The Raspberry Pi is a fully featured computer, and you can do almost anything with it that you can do with a desktop computer.

When you switch it on, it has a text prompt (see Chapter 5), but you can use a graphical windows desktop to start and manage programs. You can use it for browsing the Internet (see Chapter 4), word processing and spreadsheets (see Chapter 6), or for editing photos (see Chapter 7). You can use it for playing back music or video (see Chapter 9), or for playing games. You can use the built-in software to build a website (see Chapter 8). It's the perfect tool for homework, but it's also a useful computer for writing letters, managing your accounts, and paying bills online.

The Raspberry Pi is at its best, however, when it's being used to learn how computers work, and how you can create your own programs or electronics projects using them. It comes with Scratch (see Chapter 10), which enables people of all ages to create their own animations and games, while learning some of the core concepts of computer programming along the way.

It also comes with Python (see Chapter 12), a professional programming language used by YouTube, Google, and Industrial Light & Magic (the special effects gurus for the *Star Wars* films), among many others.



It has a General Purpose Input/Output (GPIO) port on it that you can use to connect up your own circuits to the Raspberry Pi, so you can use your Raspberry Pi to control other devices and to receive and interpret signals from them. In Part V, we show you how to build some electronic games controlled by the Raspberry Pi.

## *Determining Its Limitations*

For something that costs so little, the Raspberry Pi is amazingly powerful, but it does have some limitations. Although you probably use it as a desktop computer, its power is closer to a mobile device (like a tablet) than a modern desktop PC.

By way of example, the Raspberry Pi Foundation says the Pi's overall performance is comparable with a PC using a 300 MHz Pentium 2 processor, which you might have bought in the mid to late nineties, except that the Raspberry Pi has much better graphics. The memory of the Raspberry Pi is more limited than you're probably used to, with just 512MB or 256MB available. You can't expand that with extra memory in the way you can a desktop PC.

The graphics capabilities lag behind today's market somewhat too: The Raspberry Pi Foundation says the Pi's graphics are roughly the same as the original Xbox games console, which was released 10 years ago.

Both the Pentium 2 PC and the original Xbox were fine machines, of course, for their time. They're just not as snappy as we're used to, and that's where you might experience some problems. You might find that the Pi can't keep up with the demands of some modern software and that some programs don't run fast enough to be useful on it. However, it's easy to find programs, try them, and remove them if they're no good (see Chapter 5), and plenty of programs for work and play run well on the Raspberry Pi (see Chapter 18).

If you already have another computer, the Raspberry Pi is unlikely to usurp it as your main machine. But the Pi gives you the freedom to try lots of things you probably wouldn't dare to try, or wouldn't know how to try, with your main PC.

## *Getting Your Hands on a Raspberry Pi*

The Raspberry Pi was created by the Raspberry Pi Foundation, a charity registered in the UK. The charity's six trustees funded the manufacture of the first large batch themselves, but it sold out rapidly so it quickly became clear that they needed something that would scale better.

The Foundation now licenses the design of the Raspberry Pi to RS Components ([www.rs-components.com](http://www.rs-components.com)) and Premier Farnell, which uses the brand name Element 14 ([www.element14.com/community/groups/raspberry-pi](http://www.element14.com/community/groups/raspberry-pi)). Both companies fund and manage the manufacture of the Raspberry Pi, market and sell it, and look after their customers. They accept orders through their websites and are able to offer a number of the accessories you might also need.

It's possible that more companies will license the design of the Pi in the future, so check the Raspberry Pi Foundation's website at [www.raspberrypi.org](http://www.raspberrypi.org) for current links to stores that sell the Pi.

Second-hand Raspberry Pis can be bought on eBay ([www.ebay.com](http://www.ebay.com)), but we would recommend getting a new one so you benefit from the customer support available, and have the peace of mind that it hasn't been damaged by the previous owner.

## *Deciding What Else You Need*

The creators of Raspberry Pi have stripped costs to the bone to enable you to own a fully featured computer for about \$25–\$35, so you'll need to scavenge or buy a few other bits and pieces. I say "scavenge" because the things you need are exactly the kind of things many people have lying around their house or garage already, or can easily pick up from friends or neighbors. In particular, if you're using a Raspberry Pi as your second computer, you probably have most of the peripherals you need. That said, you might find they're not fully compatible with the Raspberry Pi and you need to buy replacements to use with the Pi.

Here's a checklist of what else you might need:

- ✓ **Monitor:** The Raspberry Pi has a high definition video feed and uses an HDMI (high definition multimedia interface) connection for it. If your monitor has an HDMI socket, you can connect the Raspberry Pi directly to it. If your monitor does not support HDMI, it probably has a DVI socket, and you can get a simple and cheap converter that enables you to connect an HDMI cable to it. Older VGA (video graphics array) monitors aren't officially supported by the Raspberry Pi Foundation, but devices are available to convert the HDMI signal into a VGA one. If you're thinking of buying a converter, check online to see whether it works with the Raspberry Pi first. A lot of cheap cables are just cables, when what you need is a device that converts the signal from HDMI format to VGA, not one that just fits into the sockets on the screen and your Raspberry Pi. If your monitor is connected using a blue plug, and the connector has three rows on five pins in it, it's probably a VGA monitor.
- ✓ **TV:** You can connect your Raspberry Pi to a high definition TV using the HDMI socket and should experience a crisp picture. If you have an



old television in the garage, you can also press it into service for your Raspberry Pi. The Pi can send a composite video signal through an RCA cable, so it can use a TV as its display. When we tried this, it worked but the text lacked definition, which made it difficult to read. If a TV is your only option, see Appendix A for advice on tweaking the settings to get the clearest possible picture. It's better to use a computer monitor if you can, though.

- ✓ **USB hub:** The Raspberry Pi has one or two USB sockets (depending on the model you get), but you should use a powered USB hub for two reasons. Firstly, you're going to want to connect other devices to your Pi at the same time as your keyboard and mouse, which use two sockets. And secondly, you should use a USB hub because it provides external power to your devices and minimizes the likelihood of experiencing problems using your Raspberry Pi. Make sure your USB hub has its own power source independent of the Raspberry Pi.

- ✓ **USB keyboard and mouse:** The Raspberry Pi only supports USB keyboards and mice, so if you're still using ones with PS/2 connectors (round rather than flat), you need to replace them.

When the Raspberry Pi behaves unpredictably it's often because the keyboard is drawing too much power, so avoid keyboards with too many flashing lights and features.



- ✓ **SD card:** The Raspberry Pi doesn't have a hard disk built in to it, so it uses an SD card as its main storage. You probably have some SD cards that you use for your digital camera, although you might need to get a higher capacity one. We would recommend a 4GB SD card as a minimum, and SD cards are cheap enough now that it's worth getting an 8GB or 16GB one. Even that isn't much space for your files and data compared to the hard drive on a modern computer, but you can use other storage devices such as external hard drives with your Raspberry Pi too. SD cards have different class numbers that indicate how fast you can copy information to and from them. Element14 sells a class 4 SD card with the operating system preloaded on it (see Figure 1-3), and RS Components recommends a class 6 SD card to use with the Raspberry Pi.
- ✓ **SD card writer for your PC:** Many PCs today have a slot for SD cards so you can easily copy photos from your camera to your computer. If yours doesn't, you might want to consider getting an SD card writer to connect to your computer. You'll use it to copy Linux to an SD card for use with your Raspberry Pi, but you won't be able to use it to copy files from your Raspberry Pi to a Windows computer. Alternatively, you can buy an SD card that has the recommended version of Linux already on it for use with the Raspberry Pi. That means you can avoid the expense of an SD card writer, but it doesn't enable you to experiment with the different operating systems available for the Pi (see Chapter 2).





**Figure 1-3:**  
A SD card  
preloaded  
with the  
Raspberry  
Pi operating  
system.

- ✓ **USB keys:** *USB keys* (also known as *flash drives* or *memory sticks*) are fairly cheap and high capacity now (a 64GB USB key is readily affordable), which makes them an ideal complement to your Raspberry Pi. You can transfer files between your PC and your Raspberry Pi using a USB key, too.
- ✓ **External hard drive:** If you want lots of storage, perhaps so you can use your music or video collection with the Raspberry Pi, you can connect an external hard drive to it over USB. You'll need to connect your hard drive through a powered USB hub, or use a hard drive that has its own external power source.
- ✓ **Speakers:** The Raspberry Pi has a standard audio out socket, compatible with headphones and PC speakers that use a 3.5mm audio jack. You can plug your headphones directly into it, or use the audio jack to connect to speakers, a stereo, or a TV. If you're using a TV or stereo for sound, you can get a cable that goes between the 3.5mm audio jack and the audio input(s) on your television or stereo. You won't always need speakers: If you're using an HDMI connection, the audio is sent to the screen with the video signal so you won't need separate speakers, but note that this doesn't work if you use a DVI monitor.
- ✓ **Power supply:** The Raspberry Pi uses a Micro USB connector for its power supply, and is theoretically compatible with a lot of mobile phone and tablet chargers. In practice, many of these can't deliver enough current (up to 700 milliamperes), which can make the Raspberry Pi perform unreliably. The resistance in the cables that connect the Pi to the power supply varies greatly too, and this can prevent peripherals like the

mouse from working. It's worth checking whether you have a charger that might do the job (it should say how much current it provides on it), but for best results, we recommend buying a compatible charger from the same company you got your Raspberry Pi from. Don't try to power the Pi by connecting its Micro USB port to the USB port on your PC with a cable, because your computer probably can't provide enough power for your Pi.

- ✓ **Case:** It's safe to operate your Raspberry Pi as-is, but many people prefer to protect it from spills and precariously stacked desk clutter by getting a case for it. You can buy plastic cases on eBay ([www.ebay.com](http://www.ebay.com)), most of which are transparent so you can still admire the circuitry and see the Pi's LED lights. These cases typically come as simple kits for you to assemble. The Pibow ([www.pibow.com](http://www.pibow.com)) is one of the most attractively designed cases, with layers of plastic giving it a rainbow look, side-on (see Figure 1-4). It's designed by Paul Beech, who designed the Raspberry Pi logo. You don't have to buy a case, though. You can go without or make your own (see Chapter 3). Whatever case you go with, make sure you can still access the GPIO pins so you can experiment with connecting your Pi to electronic circuits and try the projects in Part V of this book.



**Figure 1-4:**  
The Pibow  
Raspberry  
Pi case.

Pibow™ Pimoroni Ltd ([www.pibow.com](http://www.pibow.com))



✓ **Cables:** You'll need cables to connect it all up, too. In particular, you need an HDMI cable (if you're using an HDMI or DVI monitor), an HDMI to DVI adapter (if you're using a DVI monitor), an RCA cable (if you're connecting to an older television), an audio cable (if connecting the audio jack to your TV or stereo), and an Ethernet cable (for networking). You can get these cables from an electrical components retailer and might be able to buy them at the same time as you buy your Raspberry Pi. Any other cables you need (for example to connect to PC speakers or a USB hub) should come with those devices.



The Raspberry Pi has been designed to be used with whatever accessories you have lying around to minimize the cost of getting started with it but, in practice, not all devices are compatible. In particular, incompatible USB hubs, keyboards, and mice can cause problems that are hard to diagnose.

A list of compatible and incompatible devices is maintained at [http://elinux.org/RPi\\_VerifiedPeripherals](http://elinux.org/RPi_VerifiedPeripherals) and you can check online reviews to see whether others have experienced difficulties using a particular device with the Raspberry Pi.

If you're buying new devices, you can minimize the risk by buying recommended devices from Raspberry Pi retailers.

In any case, you should set a little bit of money aside to spend on accessories. The Raspberry Pi is a cheap device, but buying a keyboard, mouse, USB hub, SD cards, and cables can easily double or triple your costs, and you might have to resort to that if what you have on hand turns out not to be compatible.



## Chapter 10

# Introducing Programming with Scratch

---

### *In This Chapter*

- ▶ Starting Scratch
  - ▶ Understanding the Scratch screen layout
  - ▶ Positioning and resizing your sprite
  - ▶ Making your sprite move
  - ▶ Changing your sprite's appearance
  - ▶ Adding sounds and music
- 

**T**he Raspberry Pi was created partly to inspire the next generation of programmers, and Scratch is the perfect place to start. With it, you can make your own cartoons and games and discover some of the concepts that professional programmers use every day.

Scratch is designed to be approachable for people of all ages. The visual interface makes it easy to see what you can do at any time without having to remember any strange codes, and you can rapidly achieve great results. Scratch comes with a library of images and sounds, so it only takes a few minutes to write your first Scratch program.

In this chapter, we introduce you to Scratch so you can start to experiment with it. In Chapter 11, we show you how to use Scratch to make a simple arcade game.

## Understanding What Programming Is



Before we dip into Scratch, we should clear up some of the jargon surrounding it. A *program* is a repeatable set of instructions to make a computer do something, such as play a game. Those instructions can be extremely complicated because they have to describe what the computer should do in detail. Even a simple bouncing-ball game requires instructions for drawing the ball, moving it in different directions, detecting when it hits something, and then changing its direction to make it bounce.

*Programming* is the art and science of creating programs. You can create programs in lots of different ways, and Scratch is just one of them. In Chapter 12, you'll learn about Python, another one.

Scratch and Python are both *programming languages*, different ways of writing instructions for the computer. Different programming languages are best suited for different tasks. Scratch is ideal for making games, for example, but it's not much use if you want to create a word processor or do some sophisticated mathematics. Using Python to create games takes longer, but it is more powerful than Scratch and gives you much more flexibility in the type of things you can get the computer to do.

## Starting Scratch


You access Scratch from the desktop environment, so switch on your Raspberry Pi and then use `startx` to access it (see Chapter 4 for a guide to using the desktop environment).

To start Scratch, either double-click its icon on the desktop (which shows the head of a smiley orange cat), or select it from your Programs menu in the bottom left of the screen. You can find Scratch in the Programming folder.

## Understanding the Scratch Screen Layout

Scratch divides the screen into four main areas, as you can see in Figure 10-1. In the top right is the Stage, where you can see your game or animation take shape. There's a cat on it already, so you can get started straight away by making him do things, as you'll see in a minute.





**Figure 10-1:**  
The screen layout when you first start Scratch.

Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.

The bottom right area is your Sprite List. You can think of sprites as the characters in your game. They're images that you can make do things, such as move around or change their appearance. For now, there's just the cat, which has the name Sprite1.

You create a Scratch program by snapping together *blocks*, which are short instructions. On the left, you can see the Blocks Palette, which currently shows the Motion blocks, which include instructions to move 10 steps, rotate, go to a particular grid reference, and point in a particular direction.

The tall middle panel is the Scripts Area. This is where the magic happens! You assemble your program in this space, by dragging blocks into it from the left.

You can use two buttons in the top right (indicated in Figure 10-1) to toggle the size of the Stage between full and small. When the Stage is small, the Scripts Area is bigger, so you might find that useful when you're writing scripts later in this chapter.



You'll find it easier to use Scratch if you maximize it so it fills the screen. Click the button in the top right of its window, as indicated on Figure 10-1.

## Positioning and Resizing Your Sprite

You can drag and drop your sprite (the cat) around the Stage to position it where you would like it to be at the start of your program.

You can also resize it. Two buttons above the Stage (indicated in Figure 10-1) are used to enlarge or shrink a sprite. Click one of them, and your mouse pointer changes to arrows pointing outwards (for enlarging) or inwards (for shrinking). Click your sprite on the Stage repeatedly to change its size to what you want.

When you've finished resizing, click something that isn't a sprite to return the mouse pointer to normal and stop resizing.

## Making Your Sprite Move

Experimenting with Scratch is easy. To try out different blocks, just click them in the Blocks Palette. For example, try clicking the block to move 10 steps, and you should see your cat move to the right. You can also turn her 15 degrees in either direction by clicking the appropriate blocks.



If your cat goes somewhere you don't want it to (don't they always?), you can click it on the Stage and drag it back to where you want it. You can fix rotation too by clicking the tiny cat at the top of the Scripts Area, holding down the mouse button, and rolling your mouse in a circle pattern on the desk.



Not all of the blocks will work at the moment. Some of them need to be combined with other blocks, or only make sense at certain times. There's no harm in experimenting, however. If you click something that doesn't work, you might get an error message, but you won't cause any harm to Scratch or your Raspberry Pi.


Next, we talk you through the different Motion blocks you can use.



## Using directions to move your sprite

You can use two different methods to position and move your sprites. The first is to make your sprite “walk,” and to change its direction when you want it to walk the other way.


Here are the five blocks you use to move your sprite in this way (see Figure 10-2):



**Figure 10-2:**  
The  
directional  
movement  
blocks.

Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.

- ✓ **Move 10 Steps:** This makes your sprite walk in the direction it is facing. If your sprite has been rotated, the steps taken could move your sprite in a diagonal line across the Stage. You can click the number in this block and then type another number to increase or decrease the number of steps taken, but bigger numbers spoil the illusion of movement.
- ✓ **Turn Right or Left 15 Degrees:** This block rotates your sprite. As with the number of steps, you can edit the number to change the degree by which your sprite is rotated. Your sprite walks in the direction it is facing when you use the Move 10 Steps block.
- ✓ **Point in Direction 90:** Whatever direction your sprite is facing, this block points it in the direction you want it to face. Use this block as-is to reset your sprite to face right. You can change the number in this block to change the direction you want your sprite to face and the numbers are measured in degrees from the position of facing up (see Figure 10-3). It helps to think of it like the hands of a clock: When the hand is pointing right, it's 90 degrees from the 12 o'clock position; when it's pointing down, it's 180 degrees from the top. To point left, you use -90. When you click the arrow in the right of the number box, it gives you a menu from which you can select the four main directions, but you can enter any number. You might be wondering whether you can enter 270 to point left, and the answer is that it works, but it can cause errors in your programs. If you turn your cat to direction 270 and then ask Scratch which way your cat is facing, it tells you -90. To avoid any inconsistencies like this, keep your direction numbers in the range -179 to 180.



**Figure 10-3:**  
The number  
of degrees  
used to face  
in different  
directions.

✓ **Point Towards:** You can also tell the sprite to point towards the mouse pointer or another sprite. Use the menu in this block to choose what you would like your sprite to point towards.




If you're changing the number value in a block, you still need to click the block to run it.

## *Using grid coordinates to move and position your sprite*

You can also move and position your sprite using grid coordinates. That makes it easy to position your sprite at an exact place on the screen, irrespective of where it currently is.

Every point on the Stage has two coordinates, an X position (for where it is horizontally) and a Y position (indicating where it is vertically). The X positions are numbered from -240 at the far left, to 240 at the far right. The Y positions are numbered from -180 at the bottom edge of the Stage, to 180 at the top edge. That means the Stage is a total of 480 units wide and 360 units tall. The center point of the screen, where your cat begins his day, is where X equals 0 and Y equals 0. Figure 10-4 provides a quick visual reference of how the coordinates work.





**Figure 10-4:**  
The grid  
coordinates  
on the  
Stage.

*Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.*

When you move your mouse over the Stage, the grid reference of your mouse pointer is shown just underneath the Stage on the right.

Six Motion blocks use the X and Y coordinates (see Figure 10-5):

- ✓ **Go to x:0 y:0:** You can use this block to position your sprite at a specific point on the Stage. By default, it returns a sprite to the center of the screen ( $x=0$ ,  $y=0$ ). Edit the numbers for X and Y to position your sprite somewhere else.
- ✓ **Go to:** Use this block to move your sprite to the mouse pointer's location, or to the location of another sprite if you have more than one.
- ✓ **Glide 1 secs to x:0 y:0:** When you use the Go To block, your sprite just jumps to its new position. The Glide block makes your sprite float there smoothly instead. You can change the number of seconds the glide takes, including using decimals for part of a second (for example, 0.5 for half a second).
- ✓ **Change X by 10:** This moves your sprite 10 units right. You can change the number of units and use a negative number if you want to move left instead. Note that this doesn't affect your sprite's vertical position and is independent of which way around your sprite is facing.
- ✓ **Set X to 0:** This changes the horizontal position of your sprite on the Stage, without affecting its vertical position. The value 0 returns it to the center of the screen horizontally, and you can edit the number to position it left or right of that. Use a negative number for the left half of the screen and a positive number for the right half.

- ✓ **Change Y by 10:** This moves your sprite 10 units up the Stage, without affecting its horizontal position, and irrespective of which direction it is facing. You can change the number of units and use a negative number to move the sprite down the screen instead.
- ✓ **Set Y to 0:** This changes the vertical position of your sprite on the Stage without affecting its horizontal position, and without regard to which way it faces. Use a positive value for the top half of the Stage and a negative value for the lower half.

**Figure 10-5:**  
The blocks used for moving sprites using grid coordinates.



Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.



Don't forget that you need to run a block to actually see its effect on your sprite. Do this by clicking it.

## Showing sprite information on the Stage



It can be hard to keep track of where your sprite has got to and which direction it's facing, but you can show the values for its X position, Y position, and direction on the Stage. Select the boxes at the bottom of the Blocks Palette to do this (see Figure 10-6). They slow your program down, and they clutter up the screen a bit, but they can be essential tools for testing when you're creating a game.

**Figure 10-6:**  
The blocks used to show sprite information on the Stage.



Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.


## Changing Your Sprite's Appearance

As well as moving your sprite around the screen, you can change what it looks like.

### Using costumes

One way to think of sprites is like the characters in a game (although they can be used for lots of other objects too, such as obstacles). Each sprite can have a number of *costumes*, which are different pictures of it. If the costumes look fairly similar, you can create the illusion of animation by switching between them. Your cat sprite comes with two costumes, and when you switch between them, it looks like the cat is running.

You can see the costumes for your sprite by clicking the Costumes tab at the top of the Scripts Area, as shown in Figure 10-7. If you want to modify the cat's appearance, you can click the button to edit one of the costumes, or if you want to create a new animation frame, you can click the Copy button beside a costume and then edit the bits you want to change.



Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.



It doesn't matter so much when you're experimenting with sprites, but when you make your own games and animations, you can save yourself a lot of brain ache by giving your sprites meaningful names. It's much easier to remember that the costume with the name *gameover* should be shown when the player is defeated than it is to remember it's called *costume7*. To rename a costume, click the Costumes tab to show the costumes, and then click the costume's current name (see Figure 10-7) and type its new name.



In the Blocks Palette, there are two blocks you can use to switch between costumes (see Figure 10-8):


- ✓ **Switch to Costume:** If you want to switch to a particular costume, choose its name from the menu in this block and then click the block.
- ✓ **Next Costume:** Each time you use this block, the sprite changes to its next costume. When it runs out, it goes back to the first one again.



You can show a sprite's costume number on the Stage too so it's easier for you to work out what's going on. Just check the box next to Costume # in the Blocks Palette.

## Using speech and thought bubbles

To see the blocks that affect a sprite's appearance, click the Looks button above the Blocks Palette (indicated in Figure 10-8).



**Figure 10-8:** Some of the Looks blocks you can use to change your sprite's appearance.

*Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.*

Scratch includes four blocks you can use to show a speech bubble or a thought bubble on screen, as you can see in Figure 10-8. These are great for giving a message to the player or viewer. You can edit the word in the block (Hello or Hmm...) to change the text in the bubble. Figure 10-9 shows the speech bubbles (top row) and thought bubbles (bottom row) in action.


If you use one of the options with a length of time in it, the sprite pauses for that length of time and the bubble disappears when it's elapsed.

If you use a block without a length of time, you can make the bubble disappear again by using the Say or Think block again, but editing the text so the text box in the block is empty.

## Using graphic effects

You can apply several graphic effects to your sprite using Looks blocks. In Figure 10-9, I've used eight sprites to demonstrate them on the Stage. The Color effect changes the sprite's color palette, turning orange to green in the case of the cat. The Fisheye effect works like a fisheye lens, making the central parts of the sprite appear bigger. Whirl distorts the sprite by twisting its features around its middle. Pixelate makes the sprite blocky. Mosaic shrinks the sprite and repeats it within the space it usually occupies. The Brightness and Ghost effects can sometimes look similar, but the Brightness effect increases the intensity of the colors (turning the cat's black outline silver while softening the orange) and the Ghost effect fades all the colors out evenly.

**Figure 10-9:**  
The different graphic effects you can apply to your sprite.



Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.

Here are the three blocks you use to control graphic effects:

- ✓ **Change Color Effect by 25:** You can select which effect you want to change (by default, it's the color effect), and enter the amount of it you want to apply, as a percentage (by default, 25 percent). You can use negative numbers to reduce the extent to which the effect is applied to your sprite.
- ✓ **Set Color Effect to 0:** Use this block to set a chosen effect to a specific percentage. Choosing 0 turns the effect off again. You can use any of the seven effects with this block.
- ✓ **Clear Graphic Effects:** This block removes all the graphic effects you've applied to a particular sprite, so it looks normal again.





The graphic effects look great, but they are quite slow. They're best used in moderation for special moments in your animation or game; otherwise, they make it appear unresponsive.

## Resizing your sprite

Earlier in this chapter, we showed you how to change the starting size of your sprite on the Stage. You can use blocks to issue instructions to change its size too, so you could make it get larger as the game progresses, for example.

There are two blocks you can use to resize your sprite:

- ✓ **Change Size by 10:** This block enables you to change the size of your sprite by a certain number of units, relative to its current size. As usual, you can edit the number. If you want to decrease the sprite's size, use a negative number.
- ✓ **Set Size to 100%:** This block sets your size to a percentage of its original size, so with the default value of 100 percent, it effectively resets any resizing you've done.



You can also select the check box beside the Size block to show the sprite's size on the Stage, in the same way you displayed other sprite information (see "Showing sprite information on the Stage" earlier in this chapter) there. This can be useful for testing purposes.

## Changing your sprite's visibility

Sometimes you might not want your sprite to be seen on the Stage. If a spaceship is blown up in your game, for example, you want it to disappear from view. These two blocks give you control over whether a sprite is visible:

- ✓ **Hide:** Use this block to make your sprite invisible on the Stage. If a sprite is hidden, Scratch won't detect when it touches other sprites, but you can still move a hidden sprite's position on the Stage, so it's in a different place when you show it again.
- ✓ **Show:** By default, your sprite is visible, but you can use this block to reveal it again after you have hidden it.



Sometimes sprites might get on top of each other. You can use the Go to Front block to make a sprite appear on top of all the others. To push a sprite backwards and allow others to appear on top of it, use the Go Back 1 Layers block.



## Adding Sounds and Music

As well as changing a sprite's appearance, you can give it some sound effects. Scratch comes with sounds including slurps, sneezes, and screams; ducks, geese, and owls; and pops, whoops, and zoops. There are effects there for most occasions, and many of them are a natural partner for one of the sprites that Scratch provides.



At the time of writing, some of the sounds provided are in MP3 format, but Scratch can only play those that are in WAV format. If you get a message saying a sound is in an unrecognized format, try another sound.

Here are the two steps to using sounds in your Scratch project:

- 1. Import the sound to your sprite. To do this, click the Sounds tab above the Scripts Area, as shown in Figure 10-10, and then click the Import button. Browse the provided sounds. You can click a file once to hear a preview of it, and click it twice to bring it into your sprite.**

After you've imported a sound, click the speaker beside it to preview it, or click the X button to delete it from your project. If you delete a sound in this way, it remains on your SD card so you can import it again later.

- 2. Use one of the blocks to play a sound. To see the Sound blocks, click the Sound button at the top of the Blocks Palette first.**

The Play Sound block enables you to choose which sound you'd like to play from those you have imported. The Play Sound Until Done block stops any movement or other blocks on the same sprite until the sound has finished playing.



In Chapter 11, we cover how to use multiple sprites in a project. The sound is imported to a particular sprite, so if you can't see it as one of the choices in the Play Sound block, be sure you've imported it to the correct sprite.

There are also blocks you can use to create music using Scratch, using drums and pitched instruments. Notes are numbered, with C being 60, C# being 61, D being 62 and so on. There's a block called Play Note 60 For 0.5 Beats that plays a note with a particular number for a certain duration. When you click the menu in this block to specify which note to play, a piano opens that you can use to select the note. If you're new to music, you can generally get a good result by starting with C, sticking to the white notes and making sure no two consecutive notes are too far apart on the piano. There is also a block called Set Instrument to 1 which you can use to change the instrument, although at the time of writing, this doesn't work on the Raspberry Pi.



**Figure 10-10:**  
Adding  
sound  
effects to  
your sprite.

*Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.*

## Creating Scripts

Clicking blocks in the Blocks Palette is one way to issue commands to Scratch, but you're not really programming. If you have to click each block every time you want to run it, you're doing all the hard work of remembering the instructions and the computer can only work as fast as you can click the blocks.

A program is a reusable set of instructions that can be carried out (or *run*) whenever you want. To start to create a program, you drag blocks from the Blocks Palette and drop them in the Scripts Area in the middle of the screen. Most blocks mentioned so far have a notch on the top of them and a lug on the bottom of them, so they fit together like jigsaw pieces. You don't have to align them perfectly: Scratch snaps them together for you if they're close enough when you release the mouse button.

You put your blocks in the order you want Scratch to run them, starting at the top and working your way down. It's a bit like making a to-do list for the computer.

A group of blocks in the Scripts Area is called a script, and you can run it by clicking anywhere on it. Its border flashes white, and you'll see the cat move around the Stage as you've instructed it to.


You can have multiple different scripts in the Scripts Area, so you could have one to make the cat walk left and another to make it walk right, for example. When you add multiple sprites (see Chapter 11), each sprite has its own Scripts Area and scripts there to control it.



If you want to tidy up the Scripts Area, you can move a script by dragging its top block. If you drag a block lower down in the script, it is separated from the blocks above it and carries all the blocks below it with it. If you want to delete a block or set of blocks, drag it back to the Blocks Palette on the left.



The moonwalk is the dance popularized by Michael Jackson where the dancer looks like he's walking forwards, but actually moves backwards. Figure 10-11 shows an example script to make our cat moonwalk across the Stage. The first two lines in the script reset the cat to the middle of the screen, facing right. She tells us she loves to moonwalk and then lets out a little whoop like Michael Jackson, which she keeps up for the duration of the dance. The costume switch changes the position of the cat's legs, and it then glides 150 units to the left. We close the speech bubble by using the Say block with nothing in it, and then switch back to the other costume, which makes the cat's legs move back to their default position. Give it a go!



*Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.*

## Using the Wait Block to Slow Down Your Sprite

As you put your script together, you might find that some of the movements happen so fast you can hardly see what's going on.

If you click the Control button at the top of the Blocks Palette, you can find a set of yellow blocks that are used to govern when particular things happen. You'll learn more about these in Chapter 11, but for now, it's worth knowing that there is a block here that enables you to wait for a certain number of seconds. Drag this into your script where necessary to introduce a delay so you can see each of your blocks in action. The length of the delay is 1 second by default, but you can change it to whatever you want, including parts of a second (for example, 0.5 for half a second).



The Say Hello! for 2 Secs block can be also be used to force the sprite to pause before running any more blocks.



## Saving Your Work




Remember to save your work so you can come back to it again later. You can find the option to save in the File menu at the top of the screen, or you can click the floppy disc icon in the top left.

When the Save dialog box opens (see Figure 10-12), you'll see buttons on the left to choose from various places you could save your file, although you might not have permission to use all of them (see Chapter 5 for more on permissions). I recommend you use the Scratch folder inside your Pi directory.

On the right, you can add your name and some project notes to remind you what the project was about later. You can see and edit the project notes associated with a file by going through the File menu when you're working on a program.

**Figure 10-12:**  
Saving your  
work so you  
can come  
back to it  
later.



*Scratch is developed by the Lifelong Kindergarten Group at the MIT Media Lab. See <http://scratch.mit.edu>.*

# Index

## • Symbols •

+ (addition operator in Python), 215  
= (addition shorthand), 219  
' (apostrophe), 89, 225  
\* (asterisk), 89, 91  
{ } (curly braces/brackets), 147, 151, 232  
{ } (curved braces), 89  
/ (division operator in Python), 215  
// (division operator in Python discarding decimal portion), 215  
\$ (in login prompt), 72  
= (equal sign), 139, 230  
\n (escape code) (Python), 220  
# (hash mark), 216, 255, 382

## • A •

-a option (ls command), 82  
abort strips (Blastoff), 298, 309, 311  
absolute paths, 78–80  
accessories, 18  
Acorn Computers, 21

adapters, 33  
Add Tab (shortcut), 54  
add-on boards, 278–280  
add-ons, 164  
Agius, Francis (creator), 372  
Akerman, Dave (Raspberry Pi owner), 9  
aliases, 102, 104–105  
alt (alternative text) tag, 140  
alternating current (AC), 264, 274, 286  
alternative input configuration modes, 347  
alternative text (alt) tag, 140  
Amazon, 131  
amplifier, 340  
amps, 262  
analog, compared to digital, 338–341  
analog channel, reading, 348  
Analog setting, 168  
analog-to-digital converter, 340  
anchor tags, 141  
animation, 12, 167, 183, 249  
anode, 264, 314  
append () (Python), 237  
Applications folder, 53  
apropos command, 103  
apt (package manager), 96  
apt cache, 97  
arcade games. *See* PiBuster (game);  
Scratch (programming language)  
Arch Linux (operating system), 372  
Arch Linux ARM (distribution), 21  
Archimedes home computer, 21  
Arduino (controller), 278  
arguments, 80–81, 228, 233  
ARM CPU, 12  
arrow keys, 197–198, 361  
Atkin, Phil (music aficionado), 372  
attributes, 139  
Audacity (application), 311  
audio, connecting, 35–36  
audio cable/socket, 18, 35  
audio drivers, bug in, 159  
audio jacks, 16  
audio output, 168

audiobook player project, 371–372  
 automation, home (project), 376  
 .avt files, 166

## • B •

baby monitor project, 374  
 Back button (Raspbmc), 162  
 backgrounds, 191  
 Backgrounds tab (Scratch), 191  
 backing up, 381, 386  
 balance variable (Python), 218  
 ball, in game map (Pygame), 250, 254–257  
 ball grid array (BGA) package, 270  
 ballx variable (Pygame), 250, 256–257  
 ballxdir variable (Pygame), 250, 255–257  
 bally variable (Pygame), 250, 256  
 ballydir variable (Pygame), 250, 256  
 bank balance (Python), 218  
 base (transistor terminal), 327  
 base current, 327  
 Bash (Bourne Again Shell), 71  
 bat, in game map (Pygame), 248, 253  
 battery, 265–267, 269  
 batx variable (Pygame), 248, 254  
 BATY constant (Pygame), 248  
 BC237BG (transistor for Copycat), 331  
 BCM2835 system, 270  
 Beech, Paul (designer), 17  
 Beneath a Steel Sky (game), 367–368  
 bin (binaries) directory, 76  
 binaries, 76  
 binary number, 340  
 bird feeder webcam project, 372  
 bitmap image format, 167  
 BitTorrent file, 22  
 Biz (robotics fan), 41–42  
 black color number (CSS), 148  
 blank () function (Pygame), 249  
 blank lines, use of, 138, 222  
 Blastoff (game)  
   creating, 298–311  
   customizing, 311  
   finishing with stickers, 307  
   getting at GPIO pins, 283–286  
   getting started, 281–283  
   logic, 310  
   making ball traps, 300–302  
   making box, 298–300  
   parts needed for, 282–283  
   sounds, 310–311  
   testing hardware, 306–307  
   wiring of ball traps, 304–305  
   wiring up, 301–302  
 blits, 251  
 blocks  
   in Scratch, 175  
   screw terminal blocks, 344–345  
 Blocks Palette (Scratch), 175–176, 180, 182, 185–187, 203  
 blogs, 372–375  
 blue color number (CSS), 148  
 Bluefish (HTML editor), 158  
 Blythe, Jeremy (creator), 374  
 board revisions, 270, 283–285  
 boards, add-on, 278–280, 342  
 boat, talking (project), 375  
 body (in HTML code), 136  
 <body> tag, 136–138, 156  
 bookmarks, 53–54, 62–63  
 boot (start up), 38  
 boot directory, 76  
 boot\_behaviour option  
   (Raspi-config), 40  
 border-color property (CSS), 151  
 borders, adding (web pages), 151–152  
 border-style property (CSS), 151  
 border-width property (CSS), 151  
 boxcolor variable (Pygame), 247  
 <br> tag, 144  
 breadboard, 319  
 breakers, 264  
 breakout board  
   defined, 286  
   making, 286–297  
   parts for Blastoff game, 282  
 breakout connector, 323  
 brickcount variable (Pygame), 248, 252  
 bricks, drawing in Pygame, 247  
 Brightness effect (Scratch), 183  
 Broadcast block (Scratch), 199  
 Broadcom BCM2835 chip, 12  
 Broken (add-ons), 165



- browser window, resizing, 136
  - browsers, as forgiving, 137
  - budgets, 113–116
  - bugs
    - in audio driver, 159
    - fixing in Scratch, 205–206
  - BusBoard, 319
  - `bus.write_byte` instruction (Raspberry Ripple), 350
  - bytes, 342, 347
- C •**
- cables
    - audio, 18
    - for breakout board, 287, 289
    - Ethernet, 18, 36
    - HDMI, 18, 33–34, 168
    - hippie, 286
    - multicolored, 286
    - RCA, 15, 18, 34
    - ribbon, 285–291, 304, 306
  - cache, updating, 96–97
  - `cal` command, 88
  - calling it, 238
  - Cambridge University, 10
  - candelas, 316
  - Canvas (Scratch), 192
  - capitalization, 27, 73, 213, 244
  - `<caption>` tag, 144
  - cars, remote-controlled (project), 374–375
  - Cascading Style Sheets (CSS). *See* CSS
  - cases, for Raspberry Pi, 11, 17, 41–42
  - cathode, 264, 314
  - CBS News, 164
  - `cd` command, 73–75, 80, 84
  - `cd ~` command, 78, 80
  - `cd /` command, 78
  - `cd ~ Desktop` command, 78
  - `cd /home/pi` command, 78
  - `cd /home/pi/Desktop` command, 78
  - cells, 113–114
  - Change Color Effect by 25 block (Scratch), 183
  - Change Size by 10 block (Scratch), 184
  - Change X by 10 (Scratch), 179
  - Change Y by 10 (Scratch), 180
  - `change_locale` option (Raspi-config), 39
  - `change_pass` option (Raspi-config), 39
  - `change_timezone` option (Raspi-config), 39
  - changeover switch, 265
  - character set, 137
  - chargers, 16–17
  - Chatbot (program), creating, 223–240
  - cheat mode (Pygame), 255
  - `checkContacts ()` function (Blastoff), 310
  - `chgrp` command, 85
  - chips
    - BCM2835 system, 270, 272
    - converter chips, 341–342
    - PCF8591P chip (Raspberry Ripple), 343
  - `chmod` command, 85
  - chock block, 286
  - Choose New Sprite from File button (Scratch), 191
  - `chown` command, 85
  - Chromium (web browser), 363–364
  - `circle` command (Pygame), 244
  - `circle` value (CSS), 150
  - circuits
    - calculating circuit values, 268
    - common point (reference), 271
    - communicating a circuit to others, 267–268
    - defined, 262
    - digital-to-analog (D/A) converter, 338
    - high-impedance, 274
    - illustration of, 264, 266, 267
    - low-impedance, 274
    - resolution of, 338
    - symbols, use of, 267
    - testing with simulators, 269–270
    - values, calculating, 268
  - Clear button (Scratch), 194
  - `clear` command, 82
  - Clear Graphic Effects block (Scratch), 183
  - `clearbat ()` function (Pygame), 249, 254
  - Clemens, Michael (creator), 371–372
  - clock (Pygame), 252
  - clock line, 342
  - clock signal, 341
  - clone source, 127

- Clone tool (GIMP), 127
- closed switch, 266
- closing tags, 134
- code, defined, 131
- code examples used in *Raspberry Pi For Dummies*, downloading, 132
- code listings
  - analog input A0 reading, 349
  - Blastoff, 307–309
  - Copycat, 323–325
  - Copycat hardware test program, 322–323
  - D/A output ramp, 351
  - LED curve tracer, 352
  - monitoring GPIO pins as inputs, 294–295
- code snippet, your first, 134–136
- collector (transistor terminal), 327–328
- collision detection, 201
- colon, 147
- color constants, 244
- Color effect (Scratch), 183
- color numbers (CSS), 147–148
- Color Palette (Scratch), 192
- color-coding, in IDLE, 225
- colors
  - adding to website, 147–149
  - adjusting in photos, 127
  - in Pygame, 243
- command line prompt, 41, 45, 69, 72–75, 78–79
- commands
  - cancelling, 86
  - creating your own, 104–105
  - learning more about, 102
  - limits of, 216
  - speeding up entering, 86–87
- comments, 382
- common point (reference), 271
- comparator, 340
- compatible devices, 18
- components
  - cost of, 284
  - determining how to treat, 269
- composite video, 34
- computer languages, 131–132. *See also* HTML (HyperText Markup Language)
- conditional statement, 197, 237
- config.txt file, 381–382, 386
- configure\_keyboard option (Raspi-config), 39
- configuring, 377
- connection blocks, 286, 289
- constants, 244
- contact bounce, 309
- Control blocks (Scratch), 195
- Control button (Scratch), 187
- conventional current, 264
- converter chips, 341–342
- Copycat (game)
  - BC237BG transistor, 331
  - code, 323–325
  - creating, 318–326
  - customizing, 326–327
  - final game, 335
  - hardware test program, 322–323
  - making a better game, 327–331
  - physical layout, 320–321
  - preparing to build, 315–316
  - putting it all together, 332–335
  - sounds, 325–326
  - switch module/boards, 330–332, 334–335
- cost, of Raspberry Pi, 11
- costumes (Scratch), 181–182, 194
- Costumes tab (Scratch), 181, 194, 195
- cp command, 94
- CPU (central processing unit), 12, 39
- CPU Usage Monitor, 50
- CSS (Cascading Style Sheets)
  - applying styles, 152–155
  - creating enhancements, 158
  - described, 133
  - using to change page's appearance, 145–152
- current (electrical), 262, 272
- current sinking (wiring), 273
- current sourcing (wiring), 273
- curve tracer, 351–354
- Customise Look and Feel (dialog box), 67–68
- customizing, shell, Linux, 104



• **D** •

- D1 (diode), 344
- The Daily Brick, 42
- data sheet (for component), 269
- data structure, dictionary, 231–233
- date command, 88
- Debian (distribution), 20, 47
- Debian Reference (icon), 47
- debounce delay, 326
- decimal value (CSS), 150
- Dedent Region option (Python), 229
- def statement (Python), 233
- default username, 74
- Delete (Image Viewer button), 65
- dependencies, 97, 388
- deprecated, 144
- desktop, customizing, 67–69
- Desktop directory, 78
- desktop environment, 45–46, 169
- Desktop folder, 53
- desktops, multiple, 48–49
- dev directory, 76
- devices, compatible/incompatible, 18
- DHCP (Dynamic Host Configuration Protocol), 36, 389
- dictionaries, 231
- dictionary look-up function, 235–237
- dictionarycheck () function (Python), 234–235, 238
- digital, compared to analog, 338–341
- digital outputs, 338
- digital-to-analog (D/A) converter, 338
- Dillo (web browser), 59, 133
- diode, 314, 344, 345
- direct current (DC), 264, 274
- direct download, 22
- directional movement blocks (Scratch), 177
- directories, 72–73, 89, 93. *See also specific directories*
- directory tree, 75–77
- disc value (CSS), 150
- displaying end game messages (Pygame), 251
- distributions (distros), 20–23
- <div> tag, 154, 156, 158
- Do Not Connect pins, 284
- <!DOCTYPE html> tag, 137, 138
- documentation
  - GIMP, 129
  - Linux commands, 102–103
  - Pygame, 257
  - RISC OS, 21
  - what's installed on Raspberry Pi, 100
- The Document Foundation, 109
- dohSound sound (Copycat), 325
- domain name, 157
- double look-up, 326
- double-throw switch, 264–265
- downloading
  - code examples used in *Raspberry Pi For Dummies*, 132
  - direct download, 22
  - distributions (distros), 21–22
  - images as slow in, 140
- drawball () function (Pygame), 250
- drawbat () function (Pygame), 249
- drawbrick () function (Pygame), 247
- drawing
  - bricks (Pygame), 247
  - LibreOffice Draw, 118–120
  - Pygame, 244–245
  - Scratch, 193–194
  - Tux Paint program, 366–367
- drive impedance, 318
- Duck Duck Go (search engine), 61
- DVI, 14, 16, 18, 33, 34
- Dynamic Host Configuration Protocol (DHCP), 36, 389

• **E** •

- eachword variable (Python), 236–237
- earphones, 35
- Easel icon (Scratch), 208
- eBay, 14, 17, 317
- echo command, 87
- effect list (Blastoff), 309
- electricity, understanding nature of, 262–270



- electronic components, cost of, 284
  - Element 14, 14, 15
  - Ellipse tool (Scratch), 193
  - else command (Python), 237, 238
  - `<em>` tag, 144
  - e-mail program, 365–366
  - embedded system, 270
  - emitter follower, 352
  - emphasis tag, 144
  - empty message (" "), 237
  - Enabled (add-ons), 165
  - end game messages, 251
  - endgame () function (Pygame), 251
  - end-user applications, 98
  - environmental regulations, 276
  - equivalent circuit, 268
  - Eraser tool (Scratch), 193
  - escape code, 220, 222
  - etc directory, 76
  - eth0, 388
  - Ethernet, 11, 18, 36, 388–389
  - events, defined, 254
  - Evolution (e-mail program), 365–366
  - execute permission (x), 84
  - Exit Image Viewer (Image Viewer button), 66
  - expand\_rootfs option (Raspi-config), 38
  - expansion boards, 278, 280
  - experimental supercomputer, 9–10
  - export PDF, 113
  - external hard drive, 16
  - Eyedropper tool (Scratch), 194
  - EyesPi, 9
- F •**
- // (floor division) operator (Python), 214
  - F option (ls command), 82
  - Facebook, 131
  - fail variable (Copycat), 327
  - False value (Pygame), 252
  - Farnell (distributor), 317
  - Fasthosts, 157
  - feedback, from Scratch fans, 208
  - female-to-female sort, 285
  - female-to-male wire, 285
  - FFmpeg (package), 372
  - file command, 73–75, 77, 79
  - file formats, 111
  - File Manager, 48, 51–59, 69, 85, 386
  - File Properties window, 85
  - file types, 73–74
  - files/folders. *See also directories; specific folders*
    - changing display of, 57
    - copying and moving, 55
    - copying and renaming, 94–96
    - corruption of, 76
    - creating, 56
    - deleting, 90–91
    - directories, 84
    - images folder, 133, 140
    - index.html, 134
    - listing, 72–73
    - naming, 88–89
    - opening as root or in the terminal, 58
    - overwriting, 87
    - reading of with less command, 85–86
    - regular, 84
    - selecting multiple, 55–56, 91–93
    - use of in LXDE, 52–53
    - using redirection to create, 87–88
    - website folder, 133
  - FileZilla, 157–158
  - Fill tool (Scratch), 193
  - firing mechanism (Scratch), 198
  - Fisheye effect (Scratch), 183
  - FishPi project, 9
  - Fit Image to Window (Image Viewer), 64
  - flags, 206
  - Flash, 59
  - flash, 23
  - flash drives, 16, 51
  - Flickr, 164
  - Flip Horizontally (Image Viewer button), 65
  - Flip Vertically (Image Viewer button), 65
  - float property (CSS), 153
  - floating inputs, 283
  - floating pins, 296–297
  - flowcharts, 118
  - flux, 276–277
  - FocusWriter (application), 362–363
  - Folder History (shortcut), 54
  - font-family property (CSS), 149
  - fonts, 112, 149
  - font-size property (CSS), 149
  - font-style property (CSS), 149
  - font-weight property (CSS), 149

Fontwork Gallery, 120  
 for loops, 221–222, 229, 236, 254, 351  
 for statement (Python), 237  
 Forever Control block (Scratch), 196–197  
 <form> tag, 144  
 Format menu (Writer), 113  
 formatting  
   headings, 151  
   in HTML, 138–144  
   lists, 142  
 formatting tags, 144  
 formulae, 110, 113, 115  
 Four in a Row (game), 47  
 FPS constant (Pygame), 252  
 fractals, 364  
 Fraqtive (program), 364  
 The Free Dictionary, 61  
 free software, 20  
 FT232RL chip, 373  
 Full Screen (Image Viewer button), 64  
 fume extractor, 277  
 functions  
   Copycat, 326  
   creating dictionary look-up function,  
     235–237  
   creating your own in Python, 233–235  
   defined, 219, 233  
   as fundamental buildings blocks, 235  
   at the start of your program, 247

## • G •

-G option, 101  
 game map, creating, 244  
 gameover () function (Pygame), 251, 256  
 games  
   adapting in Pygame, 257–258  
   adapting speed of, 208  
   Beneath a Steel Sky, 367–368  
   Blastoff. *See* Blastoff (game)  
   checking for win in Pygame, 252  
   collision detection as staple of, 201  
   Copycat. *See* Copycat (game)  
   creating in Scratch compared to  
     Python, 174  
   displaying end game messages  
     (Pygame), 251  
   making main game loop (Pygame),  
     253–254  
   Pi Store, 47  
   PiBuster. *See* PiBuster (game)  
   playing your game, 208  
   Raspberry Pi as tool for playing, 12  
   setting up game window (Pygame), 243  
   sprites as characters in, 181  
   XInvaders 3D, 364  
 gameSurface surface object, 243–244  
 gamewon () function (Pygame), 251  
 GarageBand (application), 311  
 General Purpose Input/Output (GPIO).  
   *See* GPIO  
 Gert board, 278–279  
 Get Surprise Sprite (Scratch), 192  
 getPress function (Copycat), 326  
 getSeq function (Copycat), 325, 326  
 getting started  
   Blastoff, 281–283  
   cost of, with Raspberry Pi, 18  
 Ghost effect (Scratch), 183  
 .gif format, 128, 191  
 GIMP (GNU Image Manipulation Program)  
   adjusting colors on photos, 127  
   converting images between different  
     formats, 128  
   cropping photos, 125–126  
   documentation, 129  
   fixing imperfections on photos, 127–128  
   installing and starting, 122  
   resizing photos, 124–125  
   rotating and flipping photos, 126  
   understanding screen layout, 122–124  
 Glide 1 secs to x:0 y:0 (Scratch), 179  
 Glide block (Scratch), 199  
 GND (ground connection), 284  
 GNU Image Manipulation Program (GIMP).  
   *See* GIMP  
 GNU Project, 20  
 GNU/Linux (Linux), 19–20  
 Go Back 1 Layers block (Scratch), 184  
 Go Daddy, 157  
 go sound (Copycat), 325  
 Go to (Scratch), 179  
 Go to Front block (Scratch), 184  
 Go to Original Size (Image Viewer  
   button), 64  
 Go to x:0 y:0 (Scratch), 179  
 Google, 12, 61, 131  
 Google Chrome (web browser), 363



- GPIO (General Purpose Input/Output)
    - connections, 283
    - getting familiar with, 270
    - as output, 271
    - pins, 14 and 15, 283
    - pins, access to in case, 17
    - pins, as outputs, 313–315
    - pins, controlling of in breakout board, 294
    - pins, described, 270
    - pins, floating, 296–297
    - port, 13
    - port monitor program, 332
    - putting output pin to practical use, 272–273
    - reference guide to, 391–392
    - signals, 270
    - using as inputs, 274–275
  - GPIOinput (pin), 296
  - GPIOmon.py (program), 297, 309, 332
  - GPU (graphics processing unit), 12, 39
  - graphic effects, in Scratch, 183
  - graphics capabilities, of Raspberry Pi, 13
  - Green, Peter (developer), 20
  - green color number (CSS), 148
  - green flag button (Scratch), 195, 199, 207
  - Green Flag Control block (Scratch), 201
  - grid coordinates (Scratch), 178–179
  - Grisbi (application), 367
  - group owners permissions, 83–84
  - groups command, 100
- H •**
- help request, 103
  - h option (ls command), 82
  - <h1>... <h6> tag, 134–135
  - H.264 video format, 166–167
  - hard disk, 15
  - HD (high definition), 160, 166
  - HD 1080p video, 160
  - HDMI (high definition multimedia interface), 14, 16, 33
  - HDMI adapter, 18
  - HDMI cable, 18, 33–34, 168
  - HDMI CEC (Consumer Electronics Council) standard, 168
  - HDMI connector, 33
  - HDMI socket, 34
  - <head> tag, 136, 137, 145
  - header tag, 136–137
  - heading tag, 134, 139
  - headings, formatting, 151
  - headless Raspberry Pi, 374
  - headline (in HTML code), 134
  - headphones, 16, 36
  - height tag, 140
  - help command, 102
  - hexadecimal number system, 148
  - Hide (Scratch), 184
  - hide block (Scratch), 184
  - high and low logic level, 272
  - high definition (HD), 160, 166
  - high definition multimedia interface (HDMI). *See* HDMI
  - high-impedance circuits, 274
  - highlightcolor variable (Pygame), 247
  - hippie cable, 286
  - history (of web pages), 60–61
  - home (parent directory), 74–75
  - Home (shortcut), 55
  - home automation project, 376
  - Home button (Raspbmc), 162
  - home directory, 72, 74–76, 78–80, 89, 94–95, 100–101
  - home page, 134
  - Home screen (Raspbmc), 161–162
  - home\_lights program code, 376
  - homework, Raspberry Pi as perfect tool for, 12
  - horizontal rule tag, 144
  - hosted, 132
  - hosting services, 157
  - hot melt glue, 304, 334
  - hot wire cutter, 334
  - <hr> tag, 144
  - <html>, 137
  - HTML (HyperText Markup Language)
    - formatting, 138–144
    - structuring document in, 136–138
    - as tool for writing code, 131–133
    - validating, 145
    - View Source, 136
  - HTML editor, 158
  - <html lang="en"> tag, 137
  - HTML5, 132

**• 1 •**

- I (current measured in amps), 263
- i option (interactive), 90–91, 94, 95
- I2C driver, 346–347
- I2C protocol, 337, 341
- icons
  - on desktop, 46
  - in LibreOffice Writer, 112
  - used in book, 5
- ICs (integrated circuits), 283, 341
- IDC (insulation displacement connection/connector), 285–286, 288
- IDE (integrated development environment), 212
- IDLE, 47, 212, 225, 229
- IDLE 3, 47, 212
- If block (Scratch), 197, 199, 205, 206–207
- if command (Python), 237, 238
- if statement, 310
- illustrations, 118
- image files, sizes of, 140
- Image Viewer, 64–66
- Image Writer, 23
- images/photos
  - adding to web page, 139–141
  - adjusting colors, 127
  - converting between different formats, 128
  - cropping, 125–126
  - editing, 124
  - fixing imperfections, 127–128
  - permissions to use, 140
  - resizing, 124–125
  - rotating and flipping, 126
  - as slow in downloading, 140
  - using Image Viewer, 64
  - viewing, 167
- <img> tag, 140, 154
- impedance, 274, 318
- import, 191
- in parallel (wiring), 302
- incandescent bulb, compared to LED, 314
- incompatible devices, 18
- Indent Region option (Python), 229
- indentations (Python), 221–222, 229
- index numbers, 231
- Industrial Light & Magic, 12
- info option (Raspi-config), 38
- info page, 103–104
- infrared remote, 168
- initialize, 243
- input channel, 348
- input command (Python), 231
- input () function (Python), 219, 228
- input monitoring programs, 306
- <input> tag, 144
- input/output pins, 271
- inputs
  - monitoring the GPIO pins as, 294–295
  - using GPIOs as, 274–275
- Insert menu (Writer), 112
- Installed (add-ons), 165
- installing
  - Beneath a Steel Sky, 368
  - Chromium, 363
  - drivers on Raspberry Ripple, 346–347
  - Evolution, 366
  - FocusWriter, 363
  - Fraqtive, 365
  - GIMP (GNU Image Manipulation Program), 122
  - Grisbi, 367
  - LibreOffice, 110
  - LXMusic, 369
  - Pygame, 242
  - software, 96–100
  - XInvaders 3D, 364
- insulation displacement connection/connector (IDC), 285–286, 288
- insulation displacement ribbon cable, 287
- insulators, 262
- integers, 214
- integrated circuits (ICs), 283, 341
- integrated development environment (IDE), 212
- interface boards, 278–279
- interference (electrical), 274
- Inter-Integrated Circuit communication (IIC or I2C), 341
- Internet radio stations, 164
- invitations, 118–120
- iOS, 19
- iPad, 284
- issue 2 boards, 270
- iTunes, 166



## • J •

Jackson, Michael, 187  
 JavaScript, 59, 133, 158  
 jokers in Linux community, 94  
 .jpg/JPEG format, 128, 167, 191  
 Jukebox (application), 374  
 jukebox project, 373–374  
 jumper wires, 285

## • K •

kernel, 20, 76–77, 366  
 Key Space Pressed? block (Scratch), 198  
 keyboard remote, 168  
 keyboards, 15, 18, 35, 67  
 keys, 231–233  
 Kill command, 50

## • L •

-l option (ls command), 82  
 <label> tag, 144  
 labels, for breakout board, 292  
 LDRs (light-dependent resistors), 356–357  
 lead-free solders, 276  
 Leafpad (text editor), 66–67, 134  
 leapseize variable, 204, 208  
 LEDs (light-emitting diodes). *See* light-emitting diodes  
 leds list (Copycat), 326  
 LEDtrace2 (program), 353  
 LEDtrace4 (program), 353  
 Legos (for case), 41–42  
 len () function (Python), 228  
 less command, 85–86  
 less / var/log/messages command, 77  
 lib directory, 76  
 Library mode (View Options Raspbmc), 166  
 LibreOffice programs, 109–118  
 license () command, 212  
 licenses (for video formats), 167  
 Lifelong Kindergarten Group, 179  
 light-dependent resistors (LDRs), 356–357  
 light-emitting diodes (LEDs)  
   choosing for Copycat, 316–318  
   compared to other light sources, 314  
   described, 313–316

  in physical layout of switch module, 331  
   results of plotting curves of two and a pot, 354  
   in schematic for Copycat, 319  
   in schematic of deluxe Copycat, 330  
   in schematic of transistor driving, 328–329  
   telling colors of, 322  
   test circuit (Raspberry Ripple), 350  
   on track side of board, 333  
   wiring up, 272–274, 353  
 Light\_Play.py (program), 357  
 Lightweight X11 Desktop Environment (LXDE), 45–46, 48, 51, 56, 69  
 limitations, of Raspberry Pi, 13  
 Line tool (Scratch), 193  
 links, 132  
 Linux  
   as case-sensitive, 73  
   flashing an SD card, 27–29  
   free software, 12  
   introduction to, 19–20  
   Raspbmc, 160  
   as unforgiving, 87, 90  
 Linux Foundation, 20  
 listing  
   files and directories, 72–73  
   more advanced options, 80–82  
   slowing down of, 85–86  
 lists  
   compared to tuples, 243  
   creating in Python, 236  
   formatting, 142  
   introducing in Python, 224–227  
   to store a map in Pygame, 245–246  
   using to make random chat program in Python, 227–229  
 LM335 temperature sensor, 357  
 local variable, 234  
 locals (module) (Pygame), 242  
 logging in, 41  
 logging out, 69  
 logic levels, 272  
 London Zoo, 9  
 long listing format, 83  
 Looks blocks (Scratch), 183  
 Looks button (Scratch), 182  
 loops. *See also* for loops; while loops  
   creating main conversation loop, 237–238  
   defined, 196, 216

main game loop in Pygame, 253–254  
 nesting, 230, 248  
 use of to repeat in Python, 221–222  
 using to force player's reply, 230–231  
 lost+found directory, 76  
 lower () method (Python), 236  
 lower-alpha value (CSS), 150  
 lowercase, 27, 88, 138, 213  
 lower-roman value (CSS), 150  
 low-impedance circuits, 274  
 ls command, 75, 82–83, 85  
 LXDE (Lightweight X11 Desktop Environment), 45–46, 48, 51, 56, 69  
 LXDE graphical desktop software, 20  
 LXMusic (music player), 368–369  
 LXTerminal (icon), 47, 69

## • M •

-m option (ls command), 82, 101  
 mA (milliamperes), 268, 272  
 Mac  
   flashing an SD card, 24–27  
   GarageBand, 311  
   GIMP, 122  
   Zip files, 22  
 Mac OS, 12, 19–20, 45, 160  
 made variable (Blastoff), 310  
 main loop (Pygame), 253–254  
 Make a Variable button (Scratch), 203  
 man page, 103  
 Mandelbrot set, 364–365  
 manual (man page), program, 103  
 margin spacing type (CSS), 152  
 marking up/markup, 134  
 mathematical operators (Python), 214–215  
 maxFails variable (Copycat), 325  
 Maximize button, 49  
 maxLength variable (Copycat), 325  
 mechanical joint, making of, 277  
 media, adding, 163–165  
 media center, 160, 168  
 media directory, 76  
 media players, 167–169  
 media server, 164  
 memory, 11, 13  
 memory sticks, 16  
 memory\_split option (Raspi-config), 39–40  
 menu bar  
   File Manager, 54, 56  
   Raspbmc, 161  
 <meta charset="utf-8" /> tag, 137  
 Micro USB connector, 16  
 Micro USB power socket, 37  
 microcandela, 316  
 Microsoft Excel, 113  
 Microsoft Office, 109, 111, 116  
 Microsoft PowerPoint, 116  
 Microsoft Windows, 19  
 Microsoft Word, 111  
 Midori web browser, 20, 47–48, 59–61, 133, 143, 363  
 millecandela, 316  
 milliamperes (mA), 268, 272  
 Minimize button, 49  
 mirror, 22  
 MIT Media Lab, 179  
 mkdir command, 89  
 .m4v files, 166  
 mnt directory, 76  
 Model A, 11, 36  
 Model B, 11, 36, 121  
 modules (Python), 228  
 monitors, 14, 16, 33  
 monospace font, 149  
 moonwalk, 187  
 Mosaic effect (Scratch), 183  
 Motion (application), 374  
 motion (package), 372  
 Motion blocks (Scratch), 175–180  
 motion detector, 376  
 mouse/mice, 15, 18, 35, 67  
 Move 10 Steps (Scratch), 177  
 MP3 format, 185, 311  
 mp4 files, 166  
 MPEG2 format videos, 167  
 MPlayer (movie player application), 374  
 multicolored cable, 286  
 Multicore solder, 277  
 multimeter, 293  
 multiple desktops, 48–49  
 multiplexing, 315  
 multiplication tables, generating, 215–216



music  
 adding, 185–186  
 playing, 12, 165–166, 169  
 Music (Raspbmc option), 161, 164–165  
 music add-ons, 164  
 music library, 166  
 music player, 368–369  
 musical instruments, 185

## • N •

N type silicon, 331  
 nano ~/.bashrcNano (text editor), 105  
 Nano text editor, 381–383  
 nav class name, 155  
 navigation bar (navbar), 143, 155–156  
 Nazarko, Sam (creator), 160  
 negative (electrical flow), 264  
 nesting, 230, 245–246, 248  
 Netsurf (web browser), 59  
 network connection, troubleshooting, 388  
 New Playlist, 166  
 Newark (distributor), 317  
 Next (Image Viewer button), 64  
 Next Costume (Scratch), 182  
 Next Folder (shortcut), 54  
 nextCount variable (Blastoff), 309–310  
 n\n (escape code) (Python), 222  
 nonlinear device, 269, 314  
 normal file format, 111  
 NPN transistor, 331  
 number variable (Copycat), 326  
 Nut Pi (SD card), 21

## • O •

-l option (ls command), 82  
 ODF format, 111  
 .ogg sound format, 309–311  
 ohms, 262, 269  
 Ohm's law, 262–263, 274, 314, 317–318, 328  
 <ol> tag, 143, 150  
 oldballx variable (Pygame), 254  
 oldbally variable (Pygame), 254  
 oldbat variable (Pygame), 254  
 0 and 1, 157  
 one-button audiobook player project, 371–372

1K resistor, 357  
 on/off signals/switches, 37, 338  
 Open File (Image Viewer button), 65  
 open source, 12  
 Open With option, 53  
 Open2300 (package), 373  
 Openbox Configuration Manager, 67  
 opening tags, 134  
 OpenOffice, 109  
 operating systems, 18, 21. *See also* iOS; Mac OS  
 Operator blocks (Scratch), 198, 205  
 operators, 214–215  
 opt directory, 77  
 option F (ls command), 81–82  
 option R (ls command), 81–82  
 <option> tag, 144  
 option X (ls command), 81–82  
 options, ls command, 82  
 Options area (Scratch), 193  
 ordered list, 142  
 organizing files in website building, 133  
 output impedance, 269  
 output pins, 272–273  
 output voltage, 339  
 overclock option (Raspi-config), 40  
 overclocking, 40  
 overscan option (Raspi-config), 38  
 overwriting files, 87  
 owner permissions, 83–84

## • P •

| (pipe character), 102  
 <p> tag, 134–135  
 P type silicon, 331  
 P1 connector, 270, 282–285  
 P1-03 ... P1-05, 283–284  
 package manager, 96, 98–99  
 package name, 97  
 packages (software), 96, 99  
 padding spacing type (CSS), 152  
 page layouts, 118  
 Paint Editor (Scratch), 191, 192  
 Paint New Sprite button (Scratch), 191  
 Paintbrush tool (Scratch), 193  
 Panel Preferences (setting), 68  
 paragraph tag, 134  
 parallel connection, 341

- parent directory, 74–75
- parent folder, 54
- parts, cost of, 284
- passive infrared (PIR) motion detector, 376
- passwd command, 101
- password, 41, 45, 101
- patch wires, 285
- Path (shortcut), 55
- paths, relative and absolute, 78–80
- PBS, 164
- PC speakers, 36
- PCB wire, 270
- PCF8591P chip, 343, 347
- PCF8591P control register, 348
- PDF format, 113
- Penguins Puzzle (game), 98, 361–362
- Pentium 2 PC, 13
- peripherals, 14–18
- permissions, 83
- permissions structure, 58, 72, 83–85, 100
- Philip (creator), 373
- Philips (manufacturer), 341
- photo editing, 12
- photon, 314
- photos. *See* images/photos
- Photoshop, 356
- physical computing, 261, 272, 281, 322
- pi (default username), 74
- pi (in login prompt), 72
- pi directory, 74, 78–79
- Pi Face board, 279
- pi folder, 53
- Pi Store (icon), 47
- pi username, 41
- pi@raspberrypi ~ \$ prompt, 41, 45, 69, 72–75, 79–81, 83, 88–91, 94, 97, 100, 102–104
- Pi-13, 283
- Pibow (case), 17
- PiBuster (game), 241, 243, 251, 252
- pi-car, 375
- Picasa, 164
- Picture add-ons, 164
- Pictures/Photos (Raspbmc), 161, 164, 167
- ping command, 388
- pinout list, 296
- pins, 271–273, 284. *See also* GPIO (General Purpose Input/Output)
- PIR (passive infrared) motion detector, 376
- Pixelate effect (Scratch), 183
- pixels, 124, 140
- plastic leaded chip carrier (PLCC), 331
- Play Note 60 for 0.5 Beats block (Scratch), 185
- Play Sound block (Scratch), 185
- Play Sound Until Done block (Scratch), 185
- playersays variable (Python), 228, 230, 231
- playlists, 166
- plug one (P1), 283
- .png format, 191
- PNP transistor, 331
- Point in Direction 90 (Scratch), 177
- Point Towards (Scratch), 178
- ports, diagram of, 32
- positive (electrical flow), 264
- posters, 118
- pot box drawing tool (pot-a-sketch), 354–355
- potentiometer (pot), 348, 349
- PotMeter4.py (program), 356
- Pot-Reich.py (program), 356
- power, connecting to, 37
- power supply, 16–17, 34, 264, 269, 328
- Preferences (Image Viewer button), 65–66
- Preferred Applications (setting), 68
- Premier Farnell, 14
- presentations, 110, 116–118
- Previous (Image Viewer button), 64
- Previous Folder (shortcut), 54
- print command, 212–216, 219, 221
- printed circuit board (PCB), 270
- privacy protection, 63
- proc directory, 77
- productivity, 109–120
- program, defined, 174, 186, 216
- program manual (man page), 103
- program windows, resizing and closing, 49–50
- programming
  - defined, 9, 174
  - shorthand form, 218–219
  - understanding what it is, 174
- Programming folder, 174
- programming languages, 174. *See also* Python; Scratch (programming language)
- Programs (Raspbmc option), 161, 167–168



- programs, errors in/testing of, 205
  - Programs menu, 47–48
  - projects to inspire, 371–376
  - prompt (at log in), 72. *See also* `pi@raspberrypi ~ $ prompt`
  - property (of style), 147
  - proportional controls, 338
  - protocols, 337
  - Prototype System, 319
  - PS/2 connectors, 15
  - pull-down resistor, 275
  - pull-up resistor, 275
  - punctuation. *See also specific punctuation*
    - in applying styles (CSS), 154–155
    - in CSS, 147
    - in using dictionaries (Python), 232
  - Punnet, 41
  - push-button switch, 318
  - `pwd` command, 78–79
  - Pygame
    - adapting game, 257–258
    - checking for win, 252
    - creating game map, 244
    - defined, 241
    - displaying end game messages, 251
    - documentation, 257
    - drawing with, 244–245
    - importing, 242
    - installing and updating, 242
    - making ball move, 254–257
    - making bat move, 253
    - positioning the ball, 250
    - positioning the bat, 248–249
    - setting up game window, 243
    - setting up timings, 252–253
    - using colors, 243
  - `pygame.init ()` function (Pygame), 243
  - Pygame module, for Blastoff, 309, 310
  - `pygame.key.set_repeat ()` command (Pygame), 252
  - `pygame.mixer`, 257
  - Python (programming language)
    - accepting user input, 219
    - calculating sums, 214
    - as case-sensitive, 213
    - creating Chatbot program, 223, 227–240
    - creating main conversation loop, 237–238
    - creating times tables program, 215–222
    - entering your first commands, 212
    - extensions, 228
    - for loops, 221–222
    - IDLE and IDLE 3 programs, 47
    - indentations, 221
    - introducing lists, 224–227
    - mathematical operators, 215
    - modules, 228
    - saving your work, 217
    - spaces as meaningful, 221
    - starting, 212
    - use of, 174
    - use of quotation marks, 225
    - using dictionaries, 231–233
    - using lists to make random chat program, 227–229
    - while loops, 229–231
  - Python 2, 309
  - Python 2.7, 212, 228
  - Python 3, 212
  - Python games (icon), 47, 53
  - Python module, 294
  - Python shell, 212–213, 216
- Q •
- Q, Will (creator), 376
  - quantized (voltage), 338
  - Queue Item (Raspbmc), 166
  - QUIT event type (Pygame), 254
- R •
- R (resistance measured in ohms), 263
  - R option (recursive) (`ls` command), 82
  - r option (reverse) (`ls` command), 82
  - random element, adding in Pygame, 256
  - random module (Copycat), 325
  - random module (Python), 228
  - random numbers, 200
  - `random.randint ()` function (Python), 228
  - `randomreplies` list (Python), 228, 230
  - `range ()` function (Python), 221–222, 248
  - Rasbian Wheezy (distribution), 20–21
  - Raspberry Jam, 372
  - `rasberry` password, 41
  - Raspberry Pi. *See also specific topics*
    - blog, 372
    - cases for, 11, 17, 41–42

- compared to mainstream computer, 270
- cost of, 11
- documentation for what's installed
  - on, 100
- headless, 374
- limitations of, 13
- origins of, 9–11
- price point as major feature, 270
- sales of, 13–14
- turning on, 37
- uses for, 12
- website, 5, 42
- Raspberry Pi Foundation, 13–14, 22
- Raspberry Pi Projects* (Robinson), 279
- Raspberry Pi synthesizer project, 372
- Raspberry Ripple (board)
  - analog input A0 reading code, 349
  - building, 342–351
  - D/A output ramp code, 351
  - described, 337
  - installing drivers, 346–347
  - LED curve tracer code, 352
  - making a pot-a-sketch, 354–355
  - making a Steve Reich machine, 356–357
  - making curve tracer, 351–354
  - making real meters, 356
  - taking temperature, 357–358
  - testing analog inputs, 348–351
  - using, 347–348
  - wiring it up, 345–346
- raspberrypi (in login prompt), 72
- Raspbian Wheezy (distribution),
  - 40, 41, 45, 169
- Raspbmc (distribution)
  - adding media, 163–165
  - adding USB device, 163
  - changing settings, 167–168
  - navigating, 161–162
  - playing music, 165–166, 169
  - playing videos, 166–167
  - setting up, 160–161
  - using remote control, 168
  - viewing photos, 167
- Raspi-config (program), 37–41, 380
- RasPiWrite, 24–25
- raw\_input () function (Python), 228
- RCA cable, 15, 18, 34
- read permission (r), 84
- Read\_temp.py (code), 357
- real meters, making, 356
- realx () function (Pygame), 247, 250
- realy () function (Pygame), 247, 250
- rect function (Pygame), 242
- rectangle command (Pygame), 244
- Rectangle tool (Scratch), 193
- recursive option (ls command), 82
- red color number (CSS), 148
- red stop button (Scratch), 195
- redirection, 87–88
- Reduction of Hazardous Materials (RoSH), 276
- reference (common point), 271
- reference voltage (Vref), 339, 343
- Reich, Steve (composer), 356
- relative paths, 78–80
- remote control, 168
- remote-controlled cars project, 374–375
- renders, 251
- replychosen variable (Python), 229
- resistance (of circuit), 262–263, 268, 274, 293
- Reversi (game), 47
- revision 1 and 2 boards, 284, 285
- RGB color code, 243
- ribbon cable, 285–291, 304, 306
- ripple, 342
- RISC OS Open Limited, 21
- rm (remove) command, 90, 93–94
- rmdir command, 93
- Robinson, Andrew (author)
  - Raspberry Pi Projects*, 279
- root account, 96
- root directory, 75, 77–78
- root user, 58
- Rotate Left (Image Viewer button), 64
- Rotate Right (Image Viewer button), 65
- rounding effect (Python), 214
- router, 36, 164
- RPi.GPIO (Python module), 294, 296
- RS Components, 14, 15
- Rubbish Bin, 53
- run, defined, 186
- run directory, 77
- Run Module (Python), 217
- running, defined, 217



## • S •

- S option (ls command), 82
- sales, of Raspberry Pi, 13–14
- sans-serif font, 149
- saturated (transistor), 328
- saturated resin bonded paper (SPBP), 319
- Save dialog box, 188
- Save File (Image Viewer button), 65
- Save File As (Image Viewer button), 65
- Save Playlist, 166
- Say block (Scratch), 182
- Say Hello! for 2 Secs block (Scratch), 187
- saySeq function (Copycat), 326
- sbin directory, 77
- schematics
  - Blastoff, 301–304
  - circuits, 266–267
  - Copycat, 318–319
  - deluxe Copycat, 330
  - pot box, 354
  - Raspberry Ripple, 343–344
  - transistor driving LED, 328–329
- scissors (icon), cautions with, 190
- score variable, 203
- Scratch (icon), 47, 48, 53
- Scratch (programming language)
  - adding sounds and music, 185–186
  - creating scripts, 186
  - as designed like jigsaw puzzle, 198
  - remote-controlled cars project, 374–375
  - saving work, 188, 194
  - sprites. *See* sprites (Scratch)
  - starting, 174
  - starting new project, 190–191
  - understanding screen layout, 174–176
  - website, 208
- Scratch games project, 373
- screen, when switching on, 37
- screen display
  - adjusting sensitivity of, 386
  - troubleshooting, 383–385
- screen output, turning of into file, 87
- screen readers, 135
- screw connectors, 286
- screw terminal blocks, 344–345
- script mode, 216–217
- scripts, 186, 195–200, 207–208
- Scripts Area (Scratch), 175, 176, 181, 185, 186, 195, 207
- scrollbar, 85
- SD card
  - flashing of, 19, 22–29
  - freeing up space on, 99
  - for individual users, 102
  - inserting, 32–33
  - list of, 379
  - making more space on, 380
  - preloaded, 16, 19
- SD card writer, 15
- search engines, 61, 135
- secure shell connection (SSH), 372, 374
- Security-Enhanced Linux, 77
- <select> tag, 144
- Select tool (Scratch), 193
- selecting multiple files, 55–56, 91–93
- selinux directory, 77
- semicolon, 147
- Sensing block (Scratch), 198, 202, 206–207
- sequence list (Copycat), 326
- series circuit, 266
- series resistance, 268, 269
- serif font, 149
- server, 132
- Set Color Effect to 0 block (Scratch), 183
- Set Costume Center (Scratch), 194
- Set Instrument to 1 block (Scratch), 185
- Set Size to 100% block (Scratch), 184
- Set X to 0 (Scratch), 179
- Set Y to 0 (Scratch), 180
- settings
  - adjusting, 380
  - changing in Raspbmc, 167–168
  - with Raspi-config, 37–41
- Settings (Raspbmc option), 161
- shell, Linux, 71, 86, 104, 380
- shell prompt, 160
- shortcuts, 54–56, 80, 217, 382
- shorthand form (of programming), 218–219
- Show (Scratch), 184
- show block (Scratch), 184

- showtext () function (Pygame), 251
- silicon (in transistors), 331
- Simon Cox (professor), 9
- simulators, testing circuits with, 269–270
- single quotes, use in Python, 225
- single ramp (simplest algorithm), 341
- single-throw switch, 264
- 16mA (current limit of Pi output), 272, 327
- six-way block, 345
- Size block (Scratch), 184
- slave devices, 342
- slides/slideshow, 116–118, 167
- smart filters (for photos), 167
- smart playlists, 166
- smartreplies list, 236–237
- smartresponse variable (Python), 238
- SMBus driver, 346–347
- software. *See also specific software*
  - finding out what's installed, 100
  - fixing installation issues, 388
  - free, 20
  - installing and managing, 96–100
  - making sure is up to date, 361
  - writing of in Blastoff, 307–310
- solder, 276–277
- soldering, 261, 277, 285, 304–305, 319, 322, 331, 332
- soldering iron, 276–277
- Sound blocks (Scratch), 185
- Sound button (Scratch), 185
- sound effects (Pygame), 257
- sound effects (Scratch), 185–186
- sound filenames (Blastoff), 309
- sound files (Blastoff), 310
- sounds
  - in Blastoff, 310–311
  - in Copycat, 325–326
  - in Scratch, 185–186
- Sounds tab (Scratch), 185
- source code, 12
- source (src) tag, 140, 141
- space, freeing up/making more, 99, 380
- spaces, as meaningful in Python, 221
- spacing, adding (web pages), 152
- SPBP (saturated resin bonded paper), 319
- speakers, 16, 168
- speech (Scratch), 182
- speech bubbles (Scratch), 182
- speed, of game, adapting, 208
- Speed Dial, 62
- split () method (Python), 236
- spot face cutter, 319
- spreadsheets, 12, 110, 113–116
- Sprite List (Scratch), 175, 190
- sprites (Scratch)
  - adding multiple, 186
  - adding to game, 191–192
  - changing appearance, 181–182, 194
  - changing visibility of, 184
  - coordinating multiple sprites, 199
  - deleting, 190–191
  - detecting when one hits another, 201–202
  - drawing, 192–193
  - duplicating, 208
  - enabling control of another, 198–200
  - enabling keyboard control of, 197–198
  - hiding, 191
  - making them move, 176–180, 203
  - naming, 195
  - positioning, 176
  - resizing, 176, 184
  - showing information on Stage, 180
  - using graphic effects on, 183
- square value (CSS), 150
- Squeak (programming language), 48
- src (source) tag, 140–141
- srv directory, 77
- SSH (secure shell connection), 372, 374
- ssh option (SSH) (Raspi-config), 40
- Stage (Scratch), 176, 178, 180, 183, 191, 207–208
- Stallman, Richard (creator), 20
- Stamp tool (Scratch), 193–194
- Start Slideshow (Image Viewer button), 64
- starting
  - desktop environment, 45
  - GIMP, 122
  - LibreOffice, 110–111
  - new Scratch project, 190–191
  - Python, 212
  - Scratch, 174
- startx command, 45, 71, 110, 174



- state variable, 310
  - static electricity, 262
  - static playlists, 166
  - Steve Reich machine, making, 356–357
  - storage devices, 51, 76, 166, 386–387
  - strain relief clip, 288
  - string, 224
  - string methods, 236
  - strip board, 319
  - `<strong>` tag, 144
  - style sheet, adding, 145–146
  - styles, applying (web pages), 152–155
  - styling lists (CSS), 150
  - subdirectories, 75, 81
  - subheadings (in HTML code), 139
  - `sudo` command, 77, 96, 101
  - `sudo dd` command, 29
  - `sudo` prefix, 296, 347
  - summing resistor, 339
  - Super User, 58
  - surface object (Pygame), 243
  - surface-mount devices (SMD), 331
  - Sweigart, Al, 47
  - switch assemblies (Copycat), 333–334
  - switch module (Copycat), 330–331
  - switch module boards (Copycat), 332, 334–335
  - Switch to Costume (Scratch), 182
  - Switch to Presentation Mode (Scratch), 208
  - switches (electrical)
    - to make digital-to-analog converter, 338–339
    - push-button switch, 318
    - tack switch, 318
    - transistor as, 328
    - types of, 264–265
  - synthesizer project, 372
  - `sys` directory, 77
  - System (Raspbmc option), 167–168
- T •**
- `-t` option (ls command), 82
  - tabbed browsing, 61–62
  - `<table>` tag, 144
  - tablename variable (Python), 219
  - tack switch, 318
  - tag, 139
  - tags. *See also specific tags*
    - adding formatting tags, 144
    - closing tags, 134
    - defined, 134
    - opening tags, 134
    - for photos, 167
    - uppercase and lowercase, 138
  - talking boat project, 375
  - task bar, 46, 68
  - Task Manager, 49–51
  - `<td>` tag, 144
  - temperature, taking, 357–358
  - Term command, 50
  - testing
    - analog inputs, 348–351
    - breakout board, 293
    - circuits with simulators, 269–270
    - hardware in Blastoff, 306–307
    - programs, 205
  - text editor, 66–67, 105, 216
  - text prompt, 12
  - Text tool (Scratch), 193
  - `text-align` property (CSS), 149
  - `<textarea>` tag, 144
  - `text-decoration` property (CSS), 149
  - `text-indent` property (CSS), 149
  - `<th>` tag, 144
  - Think block (Scratch), 182
  - Thompson, Mike (developer), 20
  - thought bubbles (Scratch), 182
  - three-way blocks, 344
  - through-hole mounting type (leads), 316
  - thumbnails, of photos, 167
  - TIFF image format, 167
  - times tables program, 215–216
  - `time.sleep ()` function (Pygame), 251
  - timings, setting up in Pygame, 252–253
  - title bars, 67
  - `<title>` tag, 137
  - `tmp` directory, 77
  - Torvalds, Linus, 20
  - `<tr>` tag, 144

transistor, 327–329, 331  
troubleshooting  
  networking connection, 388–389  
  Raspberry Pi, 377–380  
true and false logic level, 272  
True value (Pygame), 252  
tuple, 243  
Turn Right or Left 15 Degrees  
  (Scratch), 177  
turning on, Raspberry Pi, 37  
Tux Paint (drawing program), 366–367  
TV, 14–15, 33–34  
twin wire, 341  
270R (resistor value), 318  
.txt (file extension), 87  
type command, 102, 104

## • U •

Ubuntu (distribution), 27  
<ul> tag, 143, 150  
University of Manchester, 279  
University of Southampton, 9  
unordered list, 142  
Up a Level (shortcut), 54–55  
up and down logic level, 272  
update option (Raspi-config), 40  
UPnP (Universal Plug and Play)  
  standard, 164  
upper-alpha value (CSS), 150  
uppercase, 27, 138, 213, 244  
upper-roman value (CSS), 150  
Upton, Eben (creator), 10, 208  
url (imagename.gif) value  
  (CSS), 150  
USB devices, 163, 168  
USB hub, 15, 18, 34–35, 163  
USB keyboard, 15  
USB keys, 16, 51  
USB mouse, 15  
USB sockets, 11, 15, 34–35  
USB storage devices, 51  
user accounts, managing, 100–102  
user input (Python), 219  
useradd command, 100

username, 41, 74  
username root, 101  
usr directory, 77  
utf-8 (character), 137

## • V •

-v option (verbose), 89, 95  
validating HTML, 145  
value (of style), 147  
van Loo, Gert (designer), 278  
var directory, 77  
variable resistor, 348  
variables  
  constants as, 244  
  defined, 202, 218  
  introducing, 202–203  
  local variable, 234  
  state variable, 310  
Variables button (Scratch), 203  
VC1 format videos, 167  
Vectorbord Circbord, 319  
verbose (-v option), 89, 95  
Veroboard, 319  
VGA (video graphics array) monitors, 14  
Video In socket, 34  
Videocore 4 GPU, 12  
Videos (Raspbmc option), 161, 164  
videos, playing, 12, 166–167  
View Options menu (Raspbmc), 162  
VLC Media Player, 48, 169  
vocabulary (Python), 233  
voltage, 262, 269, 339  
vref variable (Raspberry Ripple), 350

## • W •

W3C (World Wide Web Consortium), 145  
Wait block (Scratch), 187  
Wallace, Kit (creator), 375  
wallpaper, 68–69  
Wardell, Steve (creator), 373  
WAV/.wav format/file, 185, 310  
Weather (Raspbmc option), 161, 163  
weather station project, 373



- web browsers/web browsing, 59–63, 363
- web design programs, 134
- web page building, 133–135
- web pages
  - defined, 132
  - searching for and within, 61
- web standards, 145
- Web2py (web server), 376
- webcam, bird feeder (project), 372
- WebGL, 363
- website, defined, 132
- website building, 153–158
- websites
  - Raspberry Pi For Dummies*, 5
  - troubleshooting guide, 380
- When I Receive fire block (Scratch), 199
- which command, 102
- while command, 230
- while loops, 229–231, 250, 254
- while statements, 250
- while True instruction (Pygame), 254
- Whirl effect (Scratch), 183
- white color number (CSS), 148
- width tag, 140
- Wi-Fi Config (icon), 47
- Wi-Fi connection manager, 168
- Wi-Fi dongle, 47
- Wikipedia, 61
- wildcards, 91–95
- Windows, 45, 48, 56, 122, 160
- Winscp, 372
- wiper (middle terminal), 348

- wires, for Copycat, 320
- word processing, 12, 110, 111, 362
- world permissions, 83–84
- write permission (w), 84
- WS2350 weather station, 373

## • X •

- X button, 49
- X option (ls command), 81–82
- X server, 98
- Xarchiver, 48
- XBMC (software), 160
- Xbox, 13, 168
- XHTML, 137
- XInvaders 3D (game), 364
- XMBC, 168
- .xcf format, 128

## • Y •

- Yahoo, 61
- yellow color number (CSS), 148
- YouTube, 12, 164, 334, 373

## • Z •

- zero and one logic level, 272
- Ziadé, Tarek (creator), 373–374
- Zip file, 22
- Zoom In/Zoom Out (Image Viewer button), 64




# Join the Raspberry Revolution and start having fun with your Raspberry Pi — today!

As small as a credit card and ultra-affordable, the Raspberry Pi packs plenty of power into a pocket-size computer. But getting the hang of the Raspberry Pi can be tricky. *For Dummies* is here to help. You'll discover how to use your Raspberry Pi to work and play, edit photos, watch videos, and even craft your own programs! No programming experience? No problem. This friendly guide makes mastering this cool, compact computer as easy as pie.

- **Ready, set, go** — download the operating system software, hook everything up, and configure your Raspberry Pi
- **You'll love Linux** — find your way around the Linux shell, make the most of its desktop environment, and use it to manage your new computer
- **Have a little fun** — play videos, listen to your favorite music, create documents, and even build a brilliant website
- **The Pi's the limit** — create your own software with Scratch and Python programming
- **Conquer the world** — master Raspberry Pi electronics in no time — from soldering your own circuits to creating games, musical instruments, and interfaces

**Sean McManus** is the author of many technology and business books and a former staff writer at *Internet Magazine*. He has written tutorials and articles for, among others, *Internet Works*, *Business 2.0*, and *Personal Computer World*. **Mike Cook** is a veteran tech author and freelance consultant specializing in all things physical computing.

**FOR DUMMIES**  
A Wiley Brand

 Also available as an e-book



Open the book and find:

- How to download and install Raspbian, the Raspberry Pi OS
- Help connecting a keyboard, mouse, and monitor
- Tips on editing images and creating web pages
- How to play music and videos on your Raspberry Pi
- Advice on finding and installing free software
- How to create your own arcade games and animations
- Exciting electronics projects to try out your skills

Cover image: © Dr. Andrew Robinson

Go to **Dummies.com**<sup>®</sup> for videos, step-by-step examples, how-to articles, or to shop!

ISBN 978-1-118-55421-0

